



[4910-13-P]

## DEPARTMENT OF TRANSPORTATION

### Federal Aviation Administration

#### 14 CFR Part 39

[Docket No. FAA-2020-0852; Project Identifier MCAI-2020-01179-T;

Amendment 39-21257; AD 2020-20-01]

RIN 2120-AA64

**Airworthiness Directives;** Dassault Aviation Airplanes

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Final rule; request for comments.

**SUMMARY:** The FAA is adopting a new airworthiness directive (AD) for certain Dassault Aviation Model FALCON 7X, FALCON 900EX, and FALCON 2000EX airplanes. This AD was prompted by reports of primary display unit (PDU) data flickering on airplanes equipped with EASy software. This AD requires amending the applicable Dassault airplane flight manual (AFM) to incorporate the applicable AFM change project (CP), as specified in a European Union Aviation Safety Agency (EASA) AD, which is incorporated by reference. The FAA is issuing this AD to address the unsafe condition on these products.

**DATES:** This AD becomes effective [INSERT DATE 15 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

The Director of the Federal Register approved the incorporation by reference of a certain publication listed in this AD as of [INSERT DATE 15 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

The FAA must receive comments on this AD by [INSERT DATE 45 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to <https://www.regulations.gov>. Follow the instructions for submitting comments.

- Fax: 202-493-2251.

- Mail: U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- Hand Delivery: U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For material incorporated by reference (IBR) in this AD, contact the EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email [ADs@easa.europa.eu](mailto:ADs@easa.europa.eu); Internet [www.easa.europa.eu](http://www.easa.europa.eu). You may find this IBR material on the EASA website at <https://ad.easa.europa.eu>. You may view this IBR material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195. It is also available in the AD docket on the Internet at <https://www.regulations.gov> by searching for and locating Docket No. FAA-2020-0852.

## **Examining the AD Docket**

You may examine the AD docket on the Internet at <https://www.regulations.gov> by searching for and locating Docket No. FAA-2020-0852; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this AD, any comments received, and other information. The street address for Docket Operations is listed above. Comments will be available in the AD docket shortly after receipt.

**FOR FURTHER INFORMATION CONTACT:** Tom Rodriguez, Aerospace Engineer, Large Aircraft Section, International Validation Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206-231-3226; email [tom.rodriguez@faa.gov](mailto:tom.rodriguez@faa.gov).

## **SUPPLEMENTARY INFORMATION:**

### **Discussion**

The EASA, which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2020-0181, dated August 13, 2020 (“EASA AD 2020-0181”) (also referred to as the Mandatory Continuing Airworthiness Information, or “the MCAI”), to correct an unsafe condition for certain Dassault Aviation Model FALCON 7X, FALCON 900EX, and FALCON 2000EX airplanes. This AD was prompted by reports of PDU data flickering on airplanes equipped with EASy software and the possibility of losing information on all flightdeck PDUs. Data flickering or loss of all flightdeck PDUs could lead to total loss of control of the airplane due to erroneous information or lack of information presented to the pilot. The FAA is issuing this AD to address PDU data flickering and the possibility of total loss of information on all flightdeck PDUs, which could result in excessive workload for pilots and the inability of

the pilot to perform communications and navigation of the airplane, leading to loss of control of the airplane. See the MCAI for additional background information.

### **Related IBR Material under 1 CFR Part 51**

EASA AD 2020-0181 describes procedures for amending the AFM with the applicable CP emergency and abnormal procedures to address PDU failure and flickering.

This material is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the ADDRESSES section.

### **FAA's Determination**

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to the FAA's bilateral agreement with the State of Design Authority, the FAA has been notified of the unsafe condition described in the MCAI referenced above. The FAA is issuing this AD because the FAA evaluated all pertinent information and determined the unsafe condition exists and is likely to exist or develop on other products of the same type design.

### **Requirements of this AD**

This AD requires accomplishing the actions specified in the service information described previously, as incorporated by reference, except for any differences identified as exceptions in the regulatory text of this AD.

### **Explanation of Required Compliance Information**

In the FAA's ongoing efforts to improve the efficiency of the AD process, the FAA initially worked with Airbus and EASA to develop a process to use certain EASA

ADs as the primary source of information for compliance with requirements for corresponding FAA ADs. The FAA has since coordinated with other manufacturers and civil aviation authorities (CAAs) to use this process. As a result, EASA AD 2020-0181 is incorporated by reference in this final rule. This AD, therefore, requires compliance with EASA AD 2020-0181 in its entirety, through that incorporation, except for any differences identified as exceptions in the regulatory text of this AD. Using common terms that are the same as the heading of a particular section in the EASA AD does not mean that operators need comply only with that section. For example, where the AD requirement refers to “all required actions and compliance times,” compliance with this AD requirement is not limited to the section titled “Required Action(s) and Compliance Time(s)” in the EASA AD. Service information specified in AD 2020-0181 that is required for compliance with EASA AD 2020-0181 is available on the Internet at <https://www.regulations.gov> by searching for and locating Docket No. FAA-2020-0852.

#### **FAA’s Justification and Determination of the Effective Date**

An unsafe condition exists that requires the immediate adoption of this AD without providing an opportunity for public comments prior to adoption. The FAA has found that the risk to the flying public justifies foregoing notice and comment prior to adoption of this rule because PDU primary flight data flickering may lead to erroneous information on other PDUs with the possibility of total loss of information on all flightdeck PDUs, which could result in pilot's excessive workload and the inability of the pilot to perform communications and navigation of the airplane, leading to loss of control of the airplane. In addition, the compliance time for the required action is shorter than the time necessary for the public to comment and for publication of the final rule. Therefore,

the FAA finds good cause that notice and opportunity for prior public comment are impracticable. In addition, for the reasons stated above, the FAA finds that good cause exists for making this amendment effective in less than 30 days.

### **Comments Invited**

This AD is a final rule that involves requirements affecting flight safety, and the FAA did not precede it by notice and opportunity for public comment. The FAA invites you to send any written relevant data, views, or arguments about this final rule. Send your comments to an address listed under the ADDRESSES section. Include “Docket No. FAA-2020-0852; and Project Identifier MCAI-2020-01179-T” at the beginning of your comments. The most helpful comments reference a specific portion of the final rule, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this this final rule because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments the FAA received, without change, to <https://www.regulations.gov>, including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this final rule.

### **Confidential Business Information**

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this AD contain commercial or financial information that is customarily treated as private, that

you actually treat as private, and that is relevant or responsive to this AD, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as “PROPIN.” The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this AD. Submissions containing CBI should be sent to Tom Rodriguez, Aerospace Engineer, Large Aircraft Section, International Validation Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206 231 3226; email tom.rodriguez@faa.gov. Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

**Regulatory Flexibility Act (RFA)**

The requirements of the RFA do not apply when an agency finds good cause pursuant to 5 U.S.C. 553 to adopt a rule without prior notice and comment. Because the FAA has determined that it has good cause to adopt this rule without notice and comment, RFA analysis is not required.

**Costs of Compliance**

The FAA estimates that this AD affects 409 airplanes of U.S. registry. The FAA estimates the following costs to comply with this AD:

**Estimated costs for required actions**

<b>Labor cost</b>	<b>Parts cost</b>	<b>Cost per product</b>	<b>Cost on U.S. operators</b>
1 work-hour X \$85 per hour = \$85	\$0	\$85	\$34,765

**Authority for this Rulemaking**

Title 49 of the United States Code specifies the FAA’s authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator.

Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: General requirements. Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

### **Regulatory Findings**

The FAA determined that this AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify that this AD:

- (1) Is not a "significant regulatory action" under Executive Order 12866, and
- (2) Will not affect intrastate aviation in Alaska.

### **List of Subjects in 14 CFR Part 39**

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

### **Adoption of the Amendment**

Accordingly, under the authority delegated to me by the Administrator, the FAA amends 14 CFR part 39 as follows:



## **PART 39 - AIRWORTHINESS DIRECTIVES**

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

### **§ 39.13 [Amended]**

2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

**2020-20-01 Dassault Aviation:** Amendment 39-21257; Docket No. FAA-2020-0852; Project Identifier MCAI-2020-01179-T.

#### **(a) Effective Date**

This AD becomes effective [INSERT DATE 15 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

#### **(b) Affected ADs**

None.

#### **(c) Applicability**

This AD applies to Dassault Aviation Model FALCON 7X, FALCON 900EX, and FALCON 2000EX airplanes, certificated in any category, as identified in European Union Aviation Safety Agency (EASA) AD 2020-0181, dated August 13, 2020 (“EASA AD 2020-0181”).

#### **(d) Subject**

Air Transport Association (ATA) of America Code 31, Instruments.

#### **(e) Reason**

This AD was prompted by reports of primary display unit (PDU) data flickering on airplanes equipped with EASy software and the possibility of losing information on all

flightdeck PDUs. Data flickering or loss of all flightdeck PDUs could lead to total loss of control of the airplane due to erroneous information or lack of information presented to the pilot. The FAA is issuing this AD to address PDU data flickering and the possibility of total loss of information on all flightdeck PDUs, which could result in excessive workload for pilots and the inability of the pilot to perform communications and navigation of the airplane, leading to loss of control of the airplane.

**(f) Compliance**

Comply with this AD within the compliance times specified, unless already done.

**(g) Requirements**

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, EASA AD 2020-0181.

**(h) Exceptions to EASA AD 2020-0181**

(1) Where EASA AD 2020-0181 refers to its effective date, this AD requires using the effective date of this AD.

(2) The “Remarks” section of EASA AD 2020-0181 does not apply to this AD.

(3) Paragraph (1) of EASA AD 2020-0181 specifies amending “the applicable AFM [airplane flight manual],” but this AD requires amending “the applicable AFM and applicable corresponding operational procedures.”

**(i) Other FAA AD Provisions**

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs)*: The Manager, Large Aircraft Section, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14

CFR 39.19, send your request to your principal inspector or responsible Flight Standards Office, as appropriate. If sending information directly to the Large Aircraft Section, International Validation Branch, send it to the attention of the person identified in paragraph (j) of this AD. Information may be emailed to: 9-AVS-AIR-730-AMOC@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the responsible Flight Standards Office.

(2) *Contacting the Manufacturer:* For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, Large Aircraft Section, International Validation Branch, FAA; or EASA; or Dassault Aviation's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.

**(j) Related Information**

For more information about this AD, contact Tom Rodriguez, Aerospace Engineer, Large Aircraft Section, International Validation Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206-231-3226; email tom.rodriguez@faa.gov.

**(k) Material Incorporated by Reference**

(1) The Director of the Federal Register approved the incorporation by reference (IBR) of the service information listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) You must use this service information as applicable to do the actions required by this AD, unless this AD specifies otherwise.

(i) European Union Aviation Safety Agency (EASA) AD 2020-0181, dated August 13, 2020.

(ii) [Reserved]

(3) For information about EASA AD 2020-0181, contact the EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email [ADs@easa.europa.eu](mailto:ADs@easa.europa.eu); Internet [www.easa.europa.eu](http://www.easa.europa.eu). You may find this EASA AD on the EASA website at <https://ad.easa.europa.eu>.

(4) You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195. This material may be found in the AD docket on the Internet at <https://www.regulations.gov> by searching for and locating Docket No. FAA-2020-0852.

(5) You may view this material that is incorporated by reference at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, email [fedreg.legal@nara.gov](mailto:fedreg.legal@nara.gov), or go to: <https://www.archives.gov/federal-register/cfr/ibr-locations.html>.

Issued on September 18, 2020.

Lance T. Gant, Director,  
Compliance & Airworthiness Division,  
Aircraft Certification Service.

[FR Doc. 2020-21993 Filed: 10/5/2020 8:45 am; Publication Date: 10/6/2020]