



This document is scheduled to be published in the Federal Register on 11/29/2023 and available online at

<https://federalregister.gov/d/2023-26018>, and on <https://govinfo.gov> E 3510-22-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 660

[Docket No. 221206-0261]

RIN 0648-BM72

Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast Groundfish Fishery; 2023-2024 Biennial Specifications and Management Measures; Inseason Adjustments

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Final rule; inseason adjustments to biennial groundfish management measures.

SUMMARY: This final rule announces routine inseason adjustments to management measures in commercial and recreational groundfish fisheries for the 2024 fishing year. This action is intended to allow commercial and recreational fishing vessels to access more abundant groundfish stocks while protecting overfished and depleted stocks.

DATES: This final rule is effective January 1, 2024.

ADDRESSES:

Electronic Access: This rule is accessible via the Internet at the Office of the Federal Register website at <https://www.federalregister.gov>. Background information and documents are available at the Pacific Fishery Management Council's website at <https://www.pccouncil.org/> including and supporting information for the Council's recommendations at the November 2023 meeting.

FOR FURTHER INFORMATION CONTACT: Keeley Kent, phone: 206-247-8252 or e-mail: keeley.kent@noaa.gov.

SUPPLEMENTARY INFORMATION:

Background

The Pacific Coast Groundfish Fishery Management Plan (PCGFMP) and its implementing regulations at title 50 in the Code of Federal Regulations (CFR), part 660, subparts C through G, regulate fishing for over 90 species of groundfish in the exclusive economic zone (EEZ) off the coasts of Washington, Oregon, and California. The Pacific Fishery Management Council (Council) develops groundfish harvest specifications and management measures for 2 year periods (*i.e.*, a biennium). NMFS published the final rule to implement harvest specifications and management measures for the 2023-2024 biennium for most species managed under the PCGFMP on December 16, 2022 (87 FR 77007). In general, the management measures set at the start of the biennial harvest specifications cycle help the various sectors of the fishery attain, but not exceed, the catch limits for each stock. The Council, in coordination with Pacific Coast Treaty Indian Tribes and the States of Washington, Oregon, and California, recommends adjustments to the management measures during the fishing year to achieve this goal.

Pacific Coast groundfish fisheries are managed using harvest specifications or limits (*e.g.*, overfishing limits [OFL], acceptable biological catch [ABC], annual catch limits [ACL], and harvest guidelines [HG]) recommended biennially by the Council and based on the best scientific information available at that time (50 CFR 660.60(b)). During development of the harvest specifications, the Council also recommends management measures (*e.g.*, Annual Catch Targets [ACTs], trip limits, area closures, and bag limits) that are meant to mitigate catch so as not to exceed the harvest specifications. The harvest specifications and mitigation measures developed for the 2023-2024 biennium used data through the 2021 fishing year. Each of the adjustments to mitigation measures discussed below are based on updated fisheries information that was unavailable when the analysis for the current harvest specifications was completed. As new fisheries data becomes

available, adjustments to mitigation measures are projected so as to help harvesters achieve but not exceed the harvest limits.

At its November 2023 meeting, the Council recommended that NMFS extend the duration of several measures implemented through an inseason published on October 2, 2023 (88 FR 67656), to continue the minimization of mortality of quillback rockfish off California for the 2024 fishing season. The Council also recommended NMFS reset trip limits for several species for the 2024 fishing season.

Quillback Rockfish off California

Under current management, quillback rockfish are a contributing species within the Minor Nearshore Rockfish complex north and south of 40°10' N. lat. The harvest specifications for this species (ACL, ABC, and OFL) contribute to the harvest specifications of the complex. Amendment 31 to the PCGFMP, which was approved on November 13, 2023, defined quillback rockfish as three separate stocks (Washington, Oregon, and California).

In an analysis for the November 2021 Council meeting, a report by the Groundfish Management Team (GMT) showed continued exceedances of the OFL contribution of quillback rockfish to the nearshore rockfish complex every year in all 4 years between 2017 and 2020 (Agenda Item E.3.a GMT Report 2, November 2021). Additionally, the Council noted that quillback rockfish has a 2.22 vulnerability score, making it one of the most vulnerable rockfishes in the PCGFMP. For these reasons, the Council recommended species-specific ACTs for quillback rockfish off the coast of California as part of the 2023-24 harvest specifications and management measures (87 FR 77007, December 16, 2022) to support better tracking of mortality in light of the depleted nature of quillback off California.

Quillback rockfish have a shared commercial and recreational species-specific ACT of 0.87 metric tons (mt) for the area between 42° N. lat. and 40°10' N. lat. and 0.89

mt for south of 40°10' N. lat. (see 50 CFR part 660, tables 1a and 2a to subpart C). The ACTs were set under the 2023-24 Groundfish Harvest Specifications and Management Measures action in response to the 2021 stock assessment for quillback rockfish off the coast of California, which has been deemed the best scientific information available by NOAA Fisheries and the scientific advisors to the Council. Given quillback rockfish are currently managed in a stock complex, the new ACT was meant to formalize the ACL contributions for management purposes. Setting the ACTs equal to the ACL contributions allows the Council to recommend necessary management measures inseason when the ACL contribution is met or projected to be met.

At the November 2023 Council meeting, the PFMC recommended inseason changes to commercial fisheries in order to limit the mortality of quillback rockfish off California for 2024. The ACTs, and OFL contributions for the stock of quillback rockfish off California were estimated to be significantly exceeded in 2023 (see 88 FR 67656, October 2, 2023, for more information). Further action relative to mortality of quillback rockfish off California in the recreational fisheries is expected at the March 2024 PFMC meeting.

At the November 2023 meeting, the Council's GMT conducted analysis to see if there were any particular aspects of the fishery (by sector, location, gear type, *etc.*) where quillback were most commonly encountered, in order to narrow the scope of potential restrictions that may be most effective at reducing further impacts to quillback rockfish for 2024.

The limited available spatial data indicated that quillback rockfish are very rarely encountered south of 36° N. latitude. Additionally, the data available suggest that quillback rockfish off California north of 36° N. latitude are rarely encountered in waters deeper than 50 fathoms (fm) (91.4 meters (m)) but that the depth ranges where they are most commonly encountered varies somewhat by latitude with more attributed catches in

shallower depths (*e.g.*, 11-30 fathoms, 20.1-54.9 m) in the more northern areas and deeper than 20 fathoms (36.6 m) in southern parts of the California coast.

The GMT also looked at whether the legal non-bottom contact hook-and-line gear allowed in the non-trawl rockfish conservation area (RCA) (50 CFR 660.330(b)(3)) has been encountering quillback rockfish. This gear was a new management measure under the 2023-24 harvest specifications and management measures (87 FR 77007, December 16, 2022) within the non-trawl RCA in order to provide additional opportunity to commercial non-trawl fisheries to target healthy stocks while relieving pressure on depleted or constraining nearshore stocks. While data is limited so far, the gear configurations have shown to have relatively low bycatch of groundfish species of concern while being able to harvest healthy midwater rockfish. In the 14 years the three Experimental Fishing Permits (EFPs) operated that used similar gear (Emley-Platt, Real Good Fish, and Oregon Cook EFP), a total of only three quillback rockfish were caught. Further analysis showed that of the 108 mt of total catch in all three EFPs combined, approximately only 3 percent was quillback rockfish.

In light of this new information, the Council recommended limiting the reductions in trip limits by gear type and by area in order to maintain some fishing opportunity with limited quillback rockfish impacts, and focusing action on the sectors with greater quillback impacts. The recommendations from the Council are projected to reduce discard mortality of quillback rockfish in order to address depletion while minimizing the economic impact to fishing communities to the extent possible.

The Council recommended and, by revising tables 2 North and South to part 660, subpart E, and tables 3 North and South to part 660, subpart F, NMFS is implementing an expansion of the shoreward extent of the non-trawl RCA off California. Currently, the shoreward boundary off California is either 40 or 50 fathoms (73 meters (m) or 91 m), depending on latitude. This action moves the boundary to the shoreward boundary of the

EEZ (3 nautical miles (5556 m) from shore). This closure reduces access to demersal co-occurring targets in the range of quillback rockfish. While new area will be closed to bottom-contact gears, legal non-bottom contact hook-and-line gear are allowed in the non-trawl RCA (50 CFR 660.330(b)(3)). This change to the shoreward extent of the non-trawl RCA allows fishery participants to continue to access healthy midwater stocks inside the non-trawl RCA, consistent with § 660.330(b)(3).

Additionally, the Council recommended and, by revising tables 2 North and South to part 660, subpart E, and tables 3 North and South to part 660, subpart F, NMFS is extending the non-trawl RCA south of 34° 27' N. lat. in the 100 – 150 fm (183 m – 274 m) depths to include additional islands and banks that were formerly in the Cowcod Conservation Area (CCA) (for more information see 88 FR 59838, August 30, 2023). This change, which expands the non-trawl RCA, is being promulgated as a precautionary measure because recreational fishing may increase fishing pressure in areas which were historically closed for some or all of the year, and this anticipated increase in anglers may increase catch of constraining species such as copper rockfish, vermilion/sunset rockfish and/ or species with prohibited retention such as bronzespotted rockfish and cowcod. Similarly, commercial fisheries operating in these depths around the islands and banks may increase the likelihood of interactions with prohibited species (*e.g.*, cowcod and bronzespotted rockfish). Additionally, the consistency in areas formerly closed by the CCA with the RCA lines in use along the mainland coast and Channel Islands south of Point Conception (34° 27' N. lat.) will reduce regulatory complexity for stakeholders.

The Council also recommended and, by modifying tables 2 North and South to part 660, subpart E, and tables 3 North and South to part 660, subpart F, NMFS is implementing a zero pound trip limit for limited entry (LE) and open access (OA) fisheries between 42° N. latitude and 36° N. latitude for the following targets for all cumulative periods in 2024: Nearshore Rockfish complex and cabezon. These targets are

only found in depths co-occurring with quillback rockfish, so in order to reduce quillback discard mortality, fishing on these targets is not allowed.

The Council recommended and, by modifying tables 2 North and South to part 660, subpart E, and tables 3 North and South to part 660, subpart F, NMFS is implementing an area-based trip limit for LE and OA fisheries between 42° N. latitude and 36° N. latitude seaward of the non-trawl RCA for the following targets for all cumulative periods in 2024: lingcod and other flatfish. Inside of the non-trawl RCA, the trip limit is zero pounds for LE and OA fisheries for both lingcod and other flatfish, which co-occur with quillback rockfish, in order to reduce quillback discard mortality. The area-based trip limits will allow access to these stocks in deeper waters, seaward of the non-trawl RCA, where they do not co-occur with quillback rockfish, providing fishing opportunity in this area.

Minor Shelf Rockfish; Vermilion/Sunset Rockfish

Vermilion/Sunset rockfish off California are currently managed as part of the Minor Shelf Rockfish complex, south of 40°10' N latitude; as well as the Minor Shelf Rockfish complex north of 40°10' N latitude, but only in the area between 42° and 40°10' N lat. For 2024, the southern complex has an ACL of 1,469 metric tons (mt), and vermilion/sunset rockfish has an ACL contribution of 281.29 mt; the northern complex has an ACL of 1,278 mt, and vermilion/sunset rockfish has an ACL contribution of 6.62 mt within it.

With the changes described above, which will shift fishing effort from the nearshore out to the shelf, concerns about limiting shelf stocks, specifically minor shelf rockfish and vermilion/sunset rockfish, arose. The GMT analyzed reductions to the trip limits for Minor Shelf Rockfish in the LE and OA sectors off California. Based on the GMT analysis, the Council recommended reducing the trip limits, in anticipation of

increased effort. The expected mortality by sector under current limits and under the recommended changes are shown in table 1.

Table 1 -- Options considered by the Council to adjust minor shelf rockfish trip limits by period in the LEN (limited entry north) (40° 10' - 42° N. lat.), LES (limited entry south) (40° 10' - 36° N. lat.), OAN (open access north) (40° 10' - 42° N. lat.), and OAS (open access north) (40° 10' - 36° N. lat.) sectors, associated landings projections, and total landings. Bolded row represents the GMT recommendation, which was adopted by the Council. There is no geographic harvest target to compare estimated total landings against the trip limit change due to the split at 36° N. lat.

Option	Sector	Trip Limit	Est. Total Landings (mt)	Estimated Total Landings (mt)
No Action	LEN	800 lbs. (363 kg)/mo.	0.6	101
	OAN	800 lbs. (363 kg)/mo.	5.0	
	LES	8,000 lbs. (3,629 kg)/2 mos.	11.8	
	OAS	4,000 lbs. (1,814 kg)/2 mos.	83.6	
Option 1	LEN	800 lbs. (363 kg)/mo.	0.6	84.9
	OAN	600 lbs. (272 kg)/mo.	4.7	
	LES	6,000 lbs. (2,722 kg)/2 mos.	11.6	
	OAS	3,000 lbs. (1,361 kg)/2 mos.	68.0	
Option 2	LEN	800 lbs. (363 kg)/mo.	0.6	71.8
	OAN	400 lbs. (181 kg)/mo.	4.6	
	LES	4,000 lbs. (1,814 kg)/2 mos.	10.6	
	OAS	2,000 lbs. (907 kg)/2 mos.	56.0	

Additionally, within the Minor Shelf Rockfish Complex, vermilion rockfish south of 40°10' ACL contribution is projected to be exceeded in 2023 and therefore the Council determined that additional trip limit reductions should be taken for 2024. Consequently, the Council recommended and NMFS is approving this change by modifying tables 2 and

3 North and South for all cumulative periods in 2024. The expected mortality by sector under current limits and under the recommended changes are shown in table 2.

Table 2 -- Projected landings of vermilion/sunset, vermilion/sunset allocation, and projected percentage of vermilion/sunset attained through the end of the year by current trip limit and fishery. LEN (40°10' N. lat. – 34°27' N. lat.). LES (south of 34°27' N. lat.). OAN (40°10' N. lat. – 34°27' N. lat.). OAS (south of 34°27' N. lat.). Bolded row represents the GMT recommendation which was recommended by the Council to NMFS.

	Sector, Option	Trip Limit	Landing Projection (mt)	Est. Total Landings (mt)	Est. Discard Mortality (mt)	Est. Total Mortality (mt)
No Action	LEN	500 lbs. (227 kg)/2 mos.	2.4	90.9	0.1	91.0
	OAN	400 lbs. (181 kg)/2 mos.	17.8			
	LES	3,000 lbs. (1,361 kg)/2 mos.	35.1			
	OAS	1,200 lbs. (544 kg)/2 mos.	35.6			
Option 1	LEN	500 lbs. (227 kg)/2 mos.	2.4	77.7	0.1	77.8
	OAN	300 lbs. (136 kg)/2 mos.	13.4			
	LES	3,000 lbs. (1,361 kg)/2 mos.	35.1			
	OAS	900 lbs. (408 kg)/2 mos.	26.8			

Bocaccio rockfish south of 40° 10' N. Lat.

Bocaccio on the West Coast is managed as a separate stock south of 40°10' N lat., while bocaccio north of 40°10' N lat. is managed as part of the minor shelf rockfish complex north of 40°10' N lat. Bocaccio south of 40°10' N lat., the subject of this action, is caught both commercially and recreationally, with commercial vessels harvesting it with both trawl and fixed gear (longlines and pots/traps) in the bottom trawl, nearshore,

limited entry, and open access fixed gear fisheries. It is caught in shelf and nearshore areas, often together with chilipepper rockfish. The 2024 ACL and harvest guideline for bocaccio south of 40°10' N lat. are 1,828 mt, and 1,779.9 mt, respectively.

Subsequent to the June 2023 Council meeting, the Council recommended and NMFS implemented increases to the bocaccio trip limits for the LE and OA sectors through table 2 South and table 3 South such that the new limits were set at 8,000 lb (3,629 kg) per period for LE and 6,000 pounds (2,721 kg) per period for OA. Subsequent to the September 2023 Council meeting, the Council recommended revising the bocaccio trip limits between 40°10' and 34°27' N. lat. for both sectors due to concerns due to quillback rockfish off California. NMFS implemented via inseason action a zero bag limit for bocaccio in the LE sector for period 6 in 2023 and a gear restriction for the existing bag limit for bocaccio in the OA sector (see 88 FR 67656, October 2, 2023). As part of the November 2023 analysis, the GMT concluded that there is minimal expected impact of target fishing for bocaccio on quillback rockfish as bocaccio is a midwater species and quillback rockfish are demersal and therefore they are not co-occurring. Therefore, the Council recommended applying the trip limits in place for each sector for periods 1-5 to period 6 for 2024. NMFS is implementing this change through revisions to table 2 South and table 3 South.

Other Flatfish

Fishing for "other flatfish " off California as defined at § 660.11 General definitions (between 42° N. lat. south to the U.S./Mexico border) is allowed within the non-trawl RCA with hook and line gear only (§ 660.330(d)(12)(iv)). To prevent the possible interaction with quillback rockfish within the RCA, the Council recommended reducing the "other flatfish" trip limit to 0 lbs./2 months between 42° N. lat. to 36° N. lat. inside the Non-Trawl RCA, and maintaining the current trip limits seaward of the Non-

Trawl RCA. This modification would allow for the opportunity to land other flatfish caught seaward of the RCA while preventing interactions with quillback rockfish.

Lingcod

Prior to the November 2023 meeting, the GMT received a request to increase the lingcod trip limits north of 42° N. lat. to reduce regulatory discarding and increase economic opportunity. Status quo is currently resulting in regulatory discard for certain participants in the fishery. Lingcod is managed with an ACL north of 40°10' N. lat. and an ACL south of 40°10' N. lat. The 2024 ACL for lingcod north of 40°10' N. lat. is 3,854 mt.

To evaluate potential increases to lingcod trip limits north of 42° N. lat., the GMT made model-based landings projections under current regulations and alternative trip limits, including the limits ultimately recommended by the Council, for the LE and OA fisheries through the remainder of the year. Table 3 shows the projected lingcod landings, the lingcod allocations, and the projected attainment percentage by fishery under both the current trip limits and the Council’s recommended adjusted trip limits for north of 42° N. lat. These projections were based on the most recent catch information available through late October 2023.

Table 3 -- Projected landings of lingcod, lingcod allocation, and projected percentage of lingcod north of 42° N. lat. attained through the end of the year by trip limit and fishery

Fishery	Trip Limits	Projected Landings (round weight) (mt)
LE North of 42° N. lat.	Current: 9,000 lb. (4,082.3 kg)/two months	157.63
OA North of 42° N. lat.	Current: 4,500 lb. (2,041.2 kg)/month	
LE North of 42° N. lat.	Recommended: 11,000 lb. (4,989.5 kg)/two months	173.45

OA North of 42° N. lat.	Recommended: 5,500 lb. (2,494.8 kg)/month	
-------------------------	--	--

Under the current trip limits, the model predicts catches of lingcod north of 42° N. lat. will total 157.63 mt, which is 8 percent of the 2024 non-trawl allocation of lingcod (1,965.9 mt). Under the Council’s recommended trip limits, lingcod mortality north of 42° N. lat. is expected to increase to 173.45 mt, which is 9 percent of the 2024 non-trawl allocation of lingcod.

Trip limit increases for lingcod are intended to marginally increase attainment of the non-trawl allocation. The recommended trip limit increases do not appreciably change projected impacts to yelloweye rockfish (a co-occurring rebuilding species) compared to the impacts anticipated in the 2023-2024 harvest specifications because the projected impacts to those species assume that the entire lingcod ACL is harvested. Therefore, the Council recommended and NMFS is implementing, by modifying table 2 North to part 660, subpart E, and table 3 North to part 660, subpart F, trip limit changes for LE and OA lingcod north of 42° N. lat. for all cumulative periods in 2024 as shown above in table 3.

Canary rockfish

At the November 2023 meeting, the GMT evaluated a request to decrease the 2024 canary rockfish trip limits for the LE fixed gear and OA in light of the 2023 stock assessment indicating canary rockfish are below the healthy biomass management target. The request was to reverse a trip limit increase that was implemented pursuant to a November 2022 inseason action (88 FR 4910, January 26, 2023). Table 4 provides the projected landings, mortality, and attainment of the commercial share of canary under the status quo and under the recommended decrease in the limits.

Table 4 -- Options to decrease canary trip limits by period in the LEN, OAN, LES, and OAS sectors, associated landings projections, estimated mortality, and non-trawl commercial share attainment. Bolded row represents the GMT recommendation that was adopted by the Council.

Option	Sector	Trip Limit	Landing Projection (mt)	Est. Total Landings (mt)	Est. Discard Mortality (mt)	Est. Total Mortality (mt)	% of the 2024 Non-trawl Commercial Share (122.4 mt)
No Action	LEN	4,000 lbs. (1,814 kg)/2 mos.	5.4	31.3	0.8	32.0	26%
	OAN	2,000 lbs. (907 kg)/2 mos.	3.9				
	LES	4,000 lbs. (1,814 kg)/2 mos.	8.7				
	OAS	2,000 lbs. (907 kg)/2 mos.	13.3				
Option 1	LEN	3,000 lbs. (1,361 kg)/2 mos.	4.0	23.9	0.6	24.5	20%
	OAN	1,000 lbs. (454 kg)/2 mos.	3.4				
	LES	3,500 lbs. (1,588 kg)/2 mos.	6.5				
	OAS	1,500 lbs. (680 kg)/2 mos.	10.0				

Therefore, the Council recommended, and by modifying tables 2 North and South and tables 3 North and South, NMFS is implementing a revision to the LE and OA trip limits for all cumulative periods in 2024 as shown in table 4 above. The adjustment will provide proactive adjustment looking to the 2025-2026 biennium.

Longleader (Holloway Gear) - Oregon Recreational Fishery

The longleader gear is used to harvest midwater rockfish seaward of the 40-fathom regulatory line. Due to low impacts to yelloweye rockfish and other benthic species, the bag limit for this fishery has been higher than the nearshore traditional bottomfish bag limit. In 2023, the bag limit was increased from 10 fish to 15 fish as a way to further entice anglers to participate in the offshore fishery to alleviate some of the fishing pressure from the nearshore reefs. For 2024, the GMT recommended decreasing

the Oregon longleader fishery bag limit to 12 fish due to an increase of canary rockfish, a limiting stock, encountered in the fishery and to be consistent with state regulatory action which decreased bag limits in state waters. Consequently, the Council recommended and NMFS is implementing this change in the bag limit by modifying 50 CFR 660.360(c)(2)(iii)(A).

Classification

This final rule makes routine inseason adjustments to groundfish fishery management measures, based on the best scientific information available, consistent with the PCGFMP and its implementing regulations.

This action is taken under the authority of 50 CFR 660.60(c) and is exempt from review under Executive Order 12866.

The aggregate data upon which these actions are based are available for public inspection by contacting the NMFS West Coast Region (see **FOR FURTHER INFORMATION CONTACT**, above), or view at the NMFS West Coast Groundfish website: <https://www.fisheries.noaa.gov/species/west-coast-groundfish>.

Pursuant to 5 U.S.C. 553(b), NMFS finds good cause to waive prior public notice and an opportunity for public comment on this action, as notice and comment would be impracticable and contrary to the public interest. Changes of this nature were anticipated in the final rule for the 2023–24 harvest specifications and management measures which published on December 16, 2022 (87 FR 76007). The majority of the adjustments to management measures in this action address a conservation concern for quillback rockfish off of California as new information demonstrates the current management measures are not sufficient to control mortality as is needed. Therefore, providing a comment period for this action could hamper the adherence to scientifically informed reference points, created to ensure sustainability of the affected fisheries, and would delay measures intended to address localized depletion of quillback rockfish. In addition,

by allowing for fishing in areas where quillback rockfish are not likely to occur and through trip limit increases for lingcod, this action is expected to potentially increase economic value of the fisheries by increasing harvest opportunity and reducing regulatory discards. Delaying implementation to allow for public comment would likely reduce the economic benefits to the commercial fishing industry and the businesses that rely on that industry, because the new regulations could not be implemented in time to realize the projected benefits to fishing communities. For these same reasons, NMFS finds reason to waive the 30-day delay in effectiveness pursuant to 5 U.S.C. 553(d)(1) so that this final rule may become effective on January 1, 2024, for the start of the new fishing year.

List of Subjects in 50 CFR Part 660

Fisheries, Fishing, Indian Fisheries.

Dated: November 20, 2023.

Kelly Denit,
Director, Office of Sustainable Fisheries,
National Marine Fisheries Service.

For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

PART 660—FISHERIES OFF WEST COAST STATES

1. The authority citation for part 660 continues to read as follows:

Authority: 16 U.S.C. 1801 *et seq.*, 16 U.S.C. 773 *et seq.*, and 16 U.S.C. 7001 *et seq.*

2. Revise table 2 (North) to part 660, subpart E, to read as follows:

Table 2 (North) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10' N lat.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table 1/1/2024

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1/}:						
1	North of 46°16' N lat.		Shoreward EEZ - 100 fm line ^{1/}			
2	46°16' N lat. - 42°00' N lat.		30 fm line ^{1/} - 75 fm line ^{1/}			
3	42°00' N lat. - 40°10' N lat.		Shoreward EEZ - 75 fm line ^{1/}			
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, Farallon Islands, Cordell Bank, and EFHCAs).						
3	Minor Slope Rockfish ^{2/} & Darkblotched rockfish		8,000 lb/ 2 months			
4	Pacific ocean perch		3,600 lb/ 2 months			
5	Sablefish		4,500 lb/ week, not to exceed 9,000 lb /2 months			
6	Longspine thornyhead		10,000 lb/ 2 months			
7	Shortspine thornyhead		2,000 lb/ 2 months		2,500 lb/ 2 months	
8	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder		10,000 lb/ month			
9	Other Flatfish ^{3/}					
10	North of 42°00' N lat.		10,000 lb/ month			
11	42°00' N lat. - 40°10' N lat.		10,000 lb/ month seaward of the non-trawl RCA; 0 lb/month inside the non-trawl RCA			
12	Whiting		10,000 lb/ trip			
13	Minor Shelf Rockfish ^{2/}		800 lb/ month			
14	Widow rockfish		4,000 lb/ 2 months			
15	Yellowtail rockfish		3,000 lb/ month			
16	Canary rockfish		3,000 lb/ 2 months			
17	Yelloweye rockfish		CLOSED			
18	Quillback rockfish					
19	42°00' N lat. - 40°10' N lat.		0 lb/ 2 months			
20	Minor Nearshore Rockfish, Oregon black/blue/deacon rockfish, & black rockfish ^{4/}		5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue/deacon rockfish ^{3/}			
21	North of 42°00' N lat.					
22	42°00' N lat. - 40°10' N lat. Minor Nearshore Rockfish		0 lb/ 2 months			
23	42°00' N lat. - 40°10' N lat. Black Rockfish		0 lb/ 2 months			
24	Lingcod ^{5/}					
25	North of 42°00' N lat.		11,000 lb/ 2 months			
26	42°00' N lat. - 40°10' N lat.		2,000 lb/ 2 months seaward of the non-trawl RCA; 0 lb/ 2 months inside the non-trawl RCA			
27	Pacific cod		1,000 lb/ 2 months			
28	Spiny dogfish		200,000 lb/ 2 months	150,000 lb/ 2 months	100,000 lb/ 2 months	
29	Longnose skate		Unlimited			
30	Other Fish ^{6/}		Unlimited			
31	Cabezon in California		0 lb/ 2 months			
32	Oregon Cabezon/Kelp Greenling		Unlimited			
33	Big skate		Unlimited			

TABLE 2 (North)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by the EEZ (exclusive economic zone, i.e., federal waters from 3-200 nautical miles from shore) or lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting. LEFG vessels may be allowed to fish inside groundfish conservation areas using non-bottom contact hook and line only. See § 660.230 (d) of the regulations for more information.

2/ Minor Shelf and Slope Rockfish complexes are defined at § 660.11. Bocaccio, chilipepper and cowcod are included in the trip limits for Minor Shelf Rockfish. Splitnose rockfish is included in the trip limits for Minor Slope Rockfish.

3/ "Other flatfish" are defined at § 660.11 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ For black rockfish north of Cape Alava (48°09.50' N lat.), and between Destruction Is. (47°40' N lat.) and Leadbetter Pnt. (46°38.17' N lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N lat. and 22 inches (56 cm) total length South of 42° N lat.

6/ "Other Fish" are defined at § 660.11 and include kelp greenling off California and leopard shark.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

3. Revise table 2 (South) to part 660, subpart E, to read as follows:

Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N lat.
 Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

1/1/2024

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1/}:							
1	40°10' N lat. - 36°00' N lat.	Shoreward EEZ ^{1/} - 75 fm line ^{1/}					
2	36°00' N lat. - 34°27' N lat.	50 fm line ^{1/} - 75 fm line ^{1/}					
3	South of 34°27' N lat.	100 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands and banks)					
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, Farallon Islands, Cordell Bank, and EFHCAs).							
4	Minor Slope rockfish^{2/} & Darkblotched rockfish	40,000 lb/ 2 months, of which no more than 6,000 lb may be blackgill rockfish					
5	Splitnose rockfish	40,000 lb/ 2 months					
6	Sablefish						
7	40°10' N lat. - 36°00' N lat.	4,500 lb/ week, not to exceed 9,000 lb /2 months					
8	South of 36°00' N lat.	2,500 lb/ week					
9	Longspine thornyhead	10,000 lb/ 2 months					
10	Shortspine thornyhead						
11	40°10' N lat. - 34°27' N lat.	2,000 lb/ 2 months			2,500 lb/ 2 months		
12	South of 34°27' N lat.	3,000 lb/ 2 months					
13	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder	10,000 lb/ month					
14	Other Flatfish^{3/}						
15	40°10' N lat. - 36°00' N lat.	10,000 lb/ month					
16	South of 36°00' N lat.	10,000 lb/ month seaward of the non-trawl RCA; 0 lb/month inside the non-trawl RCA					
17	Whiting	10,000 lb/ trip					
18	Minor Shelf Rockfish^{2/}						
19	40°10' N lat. - 34°27' N lat.	6,000 lb/ 2 months, of which no more than 500 lb may be vermillion					
20	South of 34°27' N lat.	6,000 lb/ 2 months, of which no more than 3,000 lb may be vermillion					
21	Widow rockfish						
22	40°10' N lat. - 34°27' N lat.	10,000 lb/ 2 months					
23	South of 34°27' N lat.	8,000 lb/ 2 months					
24	Chilipepper rockfish						
25	40°10' N lat. - 34°27' N lat.	10,000 lb. / 2 months					
26	South of 34°27' N lat.	8,000 lb. / 2 months					
27	Canary rockfish	3,500 lb/ 2 months					
28	Yelloweye rockfish	CLOSED					
29	Quillback rockfish	0 lb/ 2 months					
30	Cowcod	CLOSED					
31	Bronzespotted rockfish	CLOSED					
32	Bocaccio	8,000 lb/ 2 months					
33	Minor Nearshore Rockfish						
34	40°10' N lat. - 36° N lat. Shallow nearshore ^{4/}	0 lb/ 2 months					
35	South of 36° N lat. Shallow nearshore ^{4/}	2,000 lb/ 2 months					
36	40°10' N lat. - 36° N lat. Deeper nearshore ^{5/}	0 lb/ 2 months					
37	South of 36° N lat. Deeper nearshore ^{5/}	2,000 lb/ 2 months, of which no more than 75 lb may be copper rockfish					
38	California Scorpionfish	3,500 lb/ 2 months					
39	Lingcod^{6/}						
40	40°10' N lat. - 36° N lat.	1,600 lb / 2 months seaward of the non-trawl RCA; 0 lb / 2 months inside the non-trawl RCA					
41	South of 36° N lat.	1,600 lb / 2 months					
42	Pacific cod	1,000 lb/ 2 months					
43	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months		100,000 lb/ 2 months	
44	Longnose skate	Unlimited					
45	Other Fish^{7/}	0 lb / 2 months					
46	Cabezon in California						
47	40°10' N lat. - 36° N lat.	0 lb/ 2 months					
48	South of 36° N lat.	Unlimited					
49	Big Skate	Unlimited					

TABLE 2 (South)

^{1/} The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting. LEFG vessels may be allowed to fish inside groundfish conservation areas using non-bottom contact hook and line only. See § 660.230 (d) of the regulations for more information.

^{2/} Minor Shelf and Slope Rockfish complexes are defined at § 660.11. Pacific ocean perch is included in the trip limits for Minor Slope Rockfish. Blackgill rockfish have a species specific trip sub-limit within the Minor Slope Rockfish cumulative limit. Yellowtail rockfish are included in the trip limits for Minor Shelf Rockfish. Bronzespotted rockfish have a species specific trip limit.

^{3/} "Other Flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

^{4/} "Shallow Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(1).

^{5/} "Deeper Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(2).

^{6/} The commercial minimum size limit for lingcod is 22 inches (56 cm) total length South of 42° N lat.

^{7/} "Other Fish" are defined at § 660.11 and include kelp greenling off California and leopard shark.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

4. Revise table 3 (North) to part 660, subpart F, to read as follows:

Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40°10' N lat.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

1/1/2024

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1/}:							
1	North of 46°16' N lat.	Shoreward EEZ - 100 fm line ^{1/}					
2	46°16' N lat. - 42°00' N lat.	30 fm line ^{1/} - 75 fm line ^{1/}					
3	42°00' N lat. - 40°10' N lat.	Shoreward EEZ - 75 fm line ^{1/}					
See §§660.60, 660.330 and 660.333 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, Farallon Islands, Cordell Bank, and EFHCAs).							
4	Minor Slope Rockfish ^{2/} & Darkblotched rockfish	2,000 lb/ month					
5	Pacific ocean perch	100 lb/ month					
6	Sablefish	3,000 lb/ week, not to exceed 6,000 lb/ 2 months					
7	Shortpine thornyheads	50 lb/ month					
8	Longspine thornyheads	50 lb/ month					
9	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder ^{7/}	5,000 lb/ month					
10	Other Flatfish ^{3/}						
11	North of 42°00' N lat.	5,000 lb/ month					
12	42°00' N lat. - 40°10' N lat.	5,000 lb/ month seaward of the non-trawl RCA; 0 lb/month inside the non-trawl RCA					
13	Whiting	300 lb/ month					
14	Minor Shelf Rockfish ^{2/}						
15	North of 42°00' N lat.	800 lb/ month					
16	42°00' N lat. - 40°10' N lat.	600 lb/month					
17	Widow rockfish	2,000 lb/ 2 months					
18	Yellowtail rockfish	1,500 lb/month					
19	Canary rockfish	1,000 lb/ 2 months					
20	Yelloweye rockfish	CLOSED					
21	Quillback rockfish						
22	42°00' N lat. - 40°10' N lat.	0 lb/ 2 months					
23	Minor Nearshore Rockfish, Oregon black/blue/deacon rockfish, & black rockfish						
24	North of 42°00' N lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue/deacon rockfish ^{4/}					
25	42°00' N lat. - 40°10' N lat. Minor Nearshore Rockfish	0 lb/ 2 months					
26	42°00' N lat. - 40°10' N lat. Black rockfish	0 lb/ 2 months					
27	Lingcod ^{5/}						
28	North of 42°00' N lat.	5,500 lb/ month					
29	42°00' N lat. - 40°10' N lat.	1,000 lb/ month seaward of the non-trawl RCA; 0 lb/ month inside the non-trawl RCA					
30	Pacific cod	1,000 lb/ 2 months					
31	Spiny dogfish	200,000 lb/ 2 months	150,000 lb/ 2 months	100,000 lb/ 2 months			
32	Longnose skate	Unlimited					
33	Big skate	Unlimited					
34	Other Fish ^{6/}	Unlimited					
35	Cabezon in California	0 lb/ 2 months					
36	Oregon Cabezon/Kelp Greenling	Unlimited					
37	SALMON TROLL (subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish and lingcod, as described below)						
38	North	Salmon trollers may retain and land up to 500 lb of yellowtail rockfish per month as long as salmon is on board, both within and outside of the RCA. Salmon trollers may retain and land up to 1 lingcod per 2 Chinook per trip, plus 1 lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. The lingcod limit only applies during times when lingcod retention is allowed, and is not "CLOSED." These limits are within the per month limits described in the table above, and not in addition to those limits. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.					
39	PINK SHRIMP NON-GROUNDFISH TRAWL (not subject to RCAs)						
40	North	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.					

TABLE 3 (North)

^{1/} The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by the EEZ (exclusive economic zone, i.e., federal waters from 3-200 nautical miles from shore) or lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting. Open access vessels may be allowed to fish inside groundfish conservation areas using hook and line only. See § 660.330 (d) of the regulations for more information.

^{2/} Minor Shelf and Slope Rockfish complexes are defined at § 660.11. Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for Minor Shelf Rockfish. Splinotose rockfish is included in the trip limits for Minor Slope Rockfish.

^{3/} "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

^{4/} For black rockfish north of Cape Alava (48°09.50' N lat.), and between Destruction Is. (47°40' N lat.) and Leadbetter Pnt. (46°38.17' N lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

^{5/} The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N lat. and 22 inches (56 cm) South of 42° N lat.

^{6/} "Other fish" are defined at § 660.11 and include kelp greenling off California and leopard shark.

^{7/} Open access vessels may be allowed to fish inside groundfish conservation areas using hook and line only. See § 660.330 (d) of the regulations for more information.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

5. Revise table 3 (South) to part 660, subpart F, to read as follows:

Table 3 (South) to Part 660, Subpart F – Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40°10' N lat.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

1/1/2024

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1f}:							
1	40°10' N lat. - 36°00' N lat.	Shoreward EEZ ^{1f} - 75 fm line ^{1f}					
2	36°00' N lat. - 34°27' N lat.	50 fm line ^{1f} - 75 fm line ^{1f}					
3	South of 34°27' N lat.	100 fm line ^{1f} - 150 fm line ^{1f} (also applies around islands and banks)					
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, Farallon Islands, Cordell Bank, and EFHCAs).							
4	Minor Slope Rockfish^{2f} & Darkblotched rockfish	10,000 lb/ 2 months, of which no more than 2,500 lb may be blackgill rockfish					
5	Splitnose rockfish	200 lb/ month					
6	Sablefish						
7	40°10' N lat. - 36°00' N lat.	3,000 lb/ week, not to exceed 6,000 lb/ 2 months					
8	South of 36°00' N lat.	2,000 lb/ week, not to exceed 6,000 lb/ 2 months					
9	Shortpine thornyheads						
10	40°10' N lat. - 34°27' N lat.	50 lb/ month					
11	Longspine thornyheads						
12	40°10' N lat. - 34°27' N lat.	50 lb/ month					
13	Shortpine thornyheads and longspine thornyheads						
14	South of 34°27' N lat.	100 lb/ day, no more than 1,000 lb/ 2 months					
15	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish^{3a/}	5,000 lb/ month					
16	Other Flatfish^{3f}						
17	40°10' N lat. - 36°00' N lat.	5,000 lb/ month					
18	South of 36°00' N lat.	5,000 lb/ month seaward of the non-trawl RCA; 0 lb/month inside the non-trawl RCA					
19	Whiting	300 lb/ month					
20	Minor Shelf Rockfish^{2f}						
21	40°10' N lat. - 34°27' N lat.	3,000 lb/ 2 months, of which no more than 300 lb may be vermilion/sunset					
22	South of 34°27' N lat.	3,000 lb/ 2 months, of which no more than 900 lb may be vermilion/sunset					
23	Widow rockfish						
24	40°10' N lat. - 34°27' N lat.	6,000 lb/ 2 months					
25	South of 34°27' N lat.	4,000 lb/ 2 months					
26	Chilipepper rockfish						
27	40°10' N lat. - 34°27' N lat.	6,000 lb/ 2 months					
28	South of 34°27' N lat.	4,000 lb/ 2 months					
29	Canary rockfish	1,500 lb/ 2 months					
30	Yelloweye rockfish	CLOSED					
31	Cowcod	CLOSED					
32	Bronzespotted rockfish	CLOSED					
33	Quillback rockfish	0 lb/ 2 months					
34	Bocaccio	6,000 lb/ 2 months					
35	Minor Nearshore Rockfish						
36	40°10' N lat. - 36°00' N lat. Shallow nearshore ^{4f}	0 lb/ 2 months					
37	South of 36°00' N lat. Shallow nearshore ^{4f}	2,000 lb/ 2 months					
38	40°10' N lat. - 36°00' N lat. Deeper nearshore ^{5f}	0 lb/ 2 months					
39	South of 36°00' N lat. Deeper nearshore ^{5f}	2,000 lb/ 2 months, of which no more than 75 lb may be copper rockfish					
40	California Scorpionfish	3,500 lb/ 2 months					
41	Lingcod^{6f}						
42	40°10' N lat. - 36°00' N lat.	700 lb / month seaward of the non-trawl RCA; 0 lb/ month inside the non-trawl RCA					
43	South of 36°00' N lat.	700 lb / month					
44	Pacific cod	1,000 lb/ 2 months					
45	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months		100,000 lb/ 2 months	
46	Longnose skate	Unlimited					
47	Big skate	Unlimited					
48	Other Fish^{7f}	Unlimited					
49	Cabezon in California						
50	40°10' N lat. - 36°00' N lat.	0 lb/ month					
51	South of 36°00' N lat.	Unlimited					

TABLE 3 (South)

Table 3 (South) Continued

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

1/1/2024

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1/}:						
1	40°10' N lat. - 36°00' N lat.		Shoreward EEZ ^{1/} - 75 fm line ^{1/}			
2	36°00' N lat. - 34°27' N lat.		50 fm line ^{1/} - 75 fm line ^{1/}			
3	South of 34°27' N lat.		100 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands and banks)			
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, Farallon Islands, Cordell Bank, and EFHCAs).						
59	SALMON TROLL (subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish, as described below)					
60	South of 40°10' N lat.		Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lb of Chinook salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 4,000 lb per 2 month limit for minor shelf rockfish between 40°10' and 34°27' N lat., and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.			
61	RIDGEBACK PRAWN AND, SOUTH OF 38°57.50' N lat., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRAWL					
62	NON-GROUNDFISH TRAWL Rockfish Conservation Area (RCA) for CA Halibut, Sea Cucumber & Ridgeback Prawn:					
63	40°10' N lat. - 38°00' N lat.		100 fm line ^{1/} - 200 fm line ^{1/}	100 fm line ^{1/} - 150 fm line ^{1/}		100 fm line ^{1/} - 200 fm line ^{1/}
64	38°00' N lat. - 34°27' N lat.		100 fm line ^{1/} - 150 fm line ^{1/}			
65	South of 34°27' N lat.		100 fm line ^{1/} - 150 fm line ^{1/}			
66			Groundfish: 300 lb/trip. Species-specific limits described in the table above also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57.50' N lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry flounder, rock sole, curffin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 29).			
67	PINK SHRIMP NON-GROUNDFISH TRAWL GEAR (not subject to RCAs)					
69	South		Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/ day and 1,500 lb/ trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary rockfish, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/ trip groundfish limits. Landings of all groundfish species count toward the per day, per trip or other species-specific sublimits described here and the species-specific limits described in the table above do not apply. The amount of groundfish landed may not exceed the amount of pink shrimp landed.			

TABLE 3 (South) Continued

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting. Open access vessels may be allowed to fish inside groundfish conservation areas using hook and line only. See § 660.330 (d) of the regulations for more information.

2/ Minor Shelf and Slope Rockfish complexes are defined at § 660.11. Pacific ocean perch is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ "Other flatfish" are defined at § 660.11 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ "Shallow Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(1).

5/ "Deeper Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(2).

6/ The commercial minimum size limit for lingcod is 22 inches (56 cm) South of 42° N lat.

7/ "Other fish" are defined at § 660.11 and includes kelp greenling off California and leopard shark.

8/ Open access vessels may be allowed to fish inside groundfish conservation areas using hook and line only. See § 660.330 (d) of the regulations for more information.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

6. Amend § 660.360 by revising paragraph (c)(2)(iii)(A) to read as follows:

§ 660.360 Recreational fishery—management measures.

* * * * *

(c) * * *

(2) * * *

(iii) * * *

(A) *Marine fish*. The bag limit is 10 marine fish per day, which includes rockfish,

kelp greenling, cabezon, and other groundfish species; except the daily bag limit in the

long-leader gear fishery is 12 fish per day. The bag limit of marine fish excludes Pacific

halibut, salmonids, tuna, perch species, sturgeon, sanddabs, flatfish, lingcod, striped bass,

hybrid bass, offshore pelagic species and baitfish (herring, smelt, anchovies and sardines). The minimum size for cabezon retained in the Oregon recreational fishery is 16 in (41 cm) total length.

* * * * *

[FR Doc. 2023-26018 Filed: 11/28/2023 8:45 am; Publication Date: 11/29/2023]