



DEPARTMENT OF JUSTICE

Drug Enforcement Administration

[Docket No. DEA-372]

Exempt Chemical Preparations Under the Controlled Substances Act

AGENCY: Drug Enforcement Administration, Department of Justice.

ACTION: Order with opportunity for comment.

SUMMARY: The applications for exempt chemical preparations received by the Drug Enforcement Administration between April 28, 2022, and September 30, 2023, as listed below, were accepted for filing and have been approved or denied as indicated.

DATES: Interested persons may file written comments on this order in accordance with 21 CFR 1308.23(e). Electronic comments must be submitted, and written comments must be postmarked, on or before [INSERT DATE 60 DAYS AFTER DATE OF PUBLICATION IN THE **FEDERAL REGISTER**]. Commenters should be aware that the electronic Federal Docket Management System will not accept comments after 11:59 p.m. Eastern Time on the last day of the comment period.

ADDRESSES: To ensure proper handling of comments, please reference “Docket No. DEA-372” on all correspondence, including any attachments.

Electronic comments: Drug Enforcement Administration (DEA) encourages that all comments be submitted through the Federal eRulemaking Portal, which provides the ability to type short comments directly into the comment field on the Web page or to attach a file for lengthier comments. Please go to <http://www.regulations.gov> and follow the online instructions at that site for submitting comments. Upon completion of your submission you will receive a Comment Tracking Number for your comment. Please be aware that submitted comments are not instantaneously available for public view on *Regulations.gov*. If you have received a comment tracking number, your comment has

been successfully submitted and there is no need to resubmit the same comment.

Paper comments: Paper comments that duplicate the electronic submission are not necessary and are discouraged. Should you wish to mail a comment *in lieu of* an electronic comment, it should be sent via regular or express mail to: Drug Enforcement Administration, Attention: DEA Federal Register Representative/DRW, 8701 Morrisette Drive, Springfield, Virginia 22152.

FOR FURTHER INFORMATION CONTACT: Terrence L. Boos, Ph.D., Diversion Control Division, Drug Enforcement Administration; Mailing Address: 8701 Morrisette Drive, Springfield, Virginia 22152; Telephone: (571) 362-8201.

SUPPLEMENTARY INFORMATION:

Posting of Public Comments

Please note that all comments received are considered part of the public record and made available for public inspection online at <http://www.regulations.gov> and in the DEA's public docket. Such information includes personal or business identifying information (such as name, address, State or Federal identifiers, etc.) voluntarily submitted by the commenter. Generally, all information voluntarily submitted by the commenter, unless clearly marked as Confidential Information in the method described below, will be publicly posted. Comments may be submitted anonymously. The Freedom of Information Act applies to all comments received.

Commenters submitting comments which include personal identifying information (PII), confidential or proprietary business information that the commenter does not want made publicly available should submit two copies of the comment. One copy must be marked "CONTAINS CONFIDENTIAL INFORMATION" and should clearly identify all PII or business information the commenter does not want to be made publicly available, including any supplemental materials. DEA will review this copy, including the claimed PII and confidential business information, in its consideration of comments.

The second copy should be marked “TO BE PUBLICLY POSTED” and must have all claimed PII and business information redacted. DEA will post only the redacted comment on <http://www.regulations.gov> for public inspection.

An electronic copy of this document is available at <http://www.regulations.gov> for easy reference.

Legal Authority

Section 201 of the Controlled Substances Act (CSA) (21 U.S.C. 811) authorizes the Attorney General, by regulation, to exempt from certain provisions of the CSA certain compounds, mixtures, or preparations containing a controlled substance, if he finds that such compounds, mixtures, or preparations meet the requirements detailed in 21 U.S.C. 811(g)(3)(B).¹ The DEA regulations at 21 CFR 1308.23 and 1308.24 further detail the criteria by which the DEA Assistant Administrator may exempt a chemical preparation or mixture from certain provisions of the CSA. The Assistant Administrator may, pursuant to 21 CFR 1308.23(f), modify or revoke the criteria by which exemptions are granted and modify the scope of exemptions at any time.

Exempt Chemical Preparation Applications Submitted Between April 28, 2022, and September 30, 2023

DEA received applications between April 28, 2022, and September 30, 2023, requesting exempt chemical preparation status detailed in 21 CFR 1308.23. Pursuant to the criteria stated in 21 U.S.C. 811(g)(3)(B) and in 21 CFR 1308.23, the Assistant Administrator has found that each of the compounds, mixtures, and preparations described in Chart I below is intended for laboratory, industrial, educational, or special research purposes and not for general administration to a human being or animal and either: (1) contains no narcotic controlled substance and is packaged in such a form or

¹ This authority has been delegated from the Attorney General to the DEA Administrator by 28 CFR 0.100, and subsequently redelegated to the Assistant Administrator pursuant to 28 CFR 0.104 and section 7 of the appendix to subpart R of part 0.

concentration that the packaged quantity does not present any significant potential for abuse; or (2) contains either a narcotic or non-narcotic controlled substance and one or more adulterating or denaturing agents in such a manner, combination, quantity, proportion, or concentration that the preparation or mixture does not present any potential for abuse and, if the preparation or mixture contains a narcotic controlled substance, is formulated in such a manner that it incorporates methods of denaturing or other means so that the preparation or mixture is not liable to be abused or have ill effects, if abused, and so that the narcotic substance cannot in practice be removed.

Accordingly, pursuant to 21 U.S.C. 811(g)(3)(B), 21 CFR 1308.23, and 21 CFR 1308.24, the Assistant Administrator has determined that each of the chemical preparations or mixtures generally described in Chart I below and specifically described in the application materials received by DEA is exempt, to the extent described in 21 CFR 1308.24, from application of sections 302, 303, 305, 306, 307, 308, 309, 1002, 1003, and 1004 (21 U.S.C. 822-823, 825-829, and 952-954) of the CSA, and 21 CFR 1301.74, as of the date that was provided in the approval letters to the individual requesters.

Scope of Approval

The exemptions are applicable only to the precise preparation or mixture described in the application submitted to DEA in the form(s) listed in this order and only for those above mentioned sections of the CSA and the CFR. In accordance with 21 CFR 1308.24(h), any change in the quantitative or qualitative composition of the preparation or mixture, or change in the trade name or other designation of the preparation or mixture after the date of application requires a new application. The requirements set forth in 21 CFR 1308.24(b)-(e) apply to the exempted materials. In accordance with 21 CFR 1308.24(g), DEA may prescribe requirements other than those set forth in 21 CFR 1308.24(b)-(e) on a case-by-case basis for materials exempted in bulk quantities.

Accordingly, in order to limit opportunities for diversion from the larger bulk quantities, DEA has determined that each of the exempted bulk products listed in this order may only be used in-house by the manufacturer, and may not be distributed for any purpose, or transported to other facilities.

Additional exempt chemical preparation requests received between April 28, 2022, and September 30, 2023, and not otherwise referenced in this order, may remain under consideration until DEA receives additional information required, pursuant to 21 CFR 1308.23(d), as detailed in separate correspondence to individual requesters. DEA's order on such requests will be communicated to the public in a future *Federal Register* publication.

DEA also notes that these exemptions are limited to exemption from only those sections of the CSA and the CFR that are specifically identified in 21 CFR 1308.24(a). All other requirements of the CSA and the CFR apply, including registration as an importer as required by 21 U.S.C. 957.

Chart I

Supplier	Product Name	Form	Application Date
Absolute Standards, Inc.	(6aR,9R)- Δ 10-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	(6aR,9S)- Δ 10-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	2019x560 Mix, 1000 μ g/mL, in Methanol	Glass ampoule: 1 mL	3/9/2023
Absolute Standards, Inc.	2020x112 Mix A, 100 μ g/mL, in Methanol:Water [9:1]	Glass ampoule: 1 mL	3/9/2023
Absolute Standards, Inc.	9(R)- Δ 7-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	9(S)- Δ 7-THC, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Cannabis PT, Varied ug/mL, in Acetonitrile	Glass ampoule: 1 ml	4/18/2023
Absolute Standards, Inc.	LCMS 14BDO Mix, 20 mM, in Methanol	Glass ampoule: 1 ml	5/6/2022
Absolute Standards, Inc.	LCMS 14BDO PT, Varied ug/mL, in Methanol	Glass ampoule: 1 ml	5/6/2022
Absolute Standards, Inc.	LS 2440 Mix #1, Varied ng/mL, in Methanol	Glass ampoule: 1 ml	4/28/2022
Absolute Standards, Inc.	LS 2440 Mix #2, Varied ng/mL, in Methanol	Glass ampoule: 1 ml	4/28/2022
Absolute Standards, Inc.	LS 2440 Mix #3, Varied ng/mL, in Methanol	Glass ampoule: 1 ml	4/28/2022

Absolute Standards, Inc.	Psilocin, 100 µg/mL, in Acetonitrile	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Psilocin, 1000 µg/mL, in Acetonitrile	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Psilocybin, 100 µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Psilocybin, 1000 µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Tryptamine Mix, 100 µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Tryptamine Mix, 1000 µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Tryptamine PT, Varied µg/g, in Mushroom Matrix [Porcini Powder:Acetonitrile, 1:1]	Glass ampoule: 1 mL	3/16/2023
Absolute Standards, Inc.	Tryptamine PT, Varied µg/mL, in Acetonitrile:Water [1:1]	Glass ampoule: 1 ml	2/10/2023
Absolute Standards, Inc.	Δ10-THC PT, Varied ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ7-THC PT, Varied ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ8-Tetrahydrocannabivarin, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ8-Tetrahydrocannabivarin, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ9-Tetrahydrocannabiphorol PT, Varied ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ9-Tetrahydrocannabiphorol, 100 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
Absolute Standards, Inc.	Δ9-Tetrahydrocannabiphorol, 1000 ug/mL, in Acetonitrile	Glass ampoule: 1 ml	5/19/2023
ARK Diagnostics	ARK Hydrocodone Calibrator A-E (Kit Reference Number 5076-0002-00)	Kit: 5 Dropper vials, 10 mL each	7/27/2023
ARK Diagnostics	ARK Hydrocodone Calibrator D (Cutoff) (Kit Reference Number 5076-0002-02)	Kit: 2 Dropper vials, 10 mL each	7/27/2023
ARK Diagnostics	ARK Hydrocodone Control (Kit Reference Number 5076-0003-00)	Kit: 4 Dropper vials, 10 mL each	7/27/2023
ASI Chemicals	Dihydrotestosterone- [2H3] (100 µg/mL in methanol)	Glass ampule: 1 mL	1/28/2023
ASI Chemicals	Testosterone- [2H3] (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	1/28/2023
ASI Chemicals	Testosterone- [2H5] (100 µg/mL in acetonitrile)	Glass ampule: 1 mL	1/28/2023
Audit MicroControls, Inc.	Linearity FD TDM	Kit: 5 vials, 5 mL each	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level A	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level B	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level C	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level D	Vial: 5 mL	8/15/2023
Audit MicroControls, Inc.	Linearity FD TDM Level E	Vial: 5 mL	8/15/2023
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC284	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	3/1/2023
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC285	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL,	3/1/2023

		50 mL	
Biochemical Diagnostics, Inc.	Detectabase Custom Liquid Control Urine, MC286	Glass vial: 5 mL, 10 mL, 20 mL, 25 mL, 50 mL	3/1/2023
CAP	2024 DMPM-01	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-02	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-03	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-05	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-06	HDPE bottle: 40 mL	6/6/2023
CAP	2024 DMPM-07	HDPE bottle: 40 mL	6/6/2023
CAP	2024 FTC-03	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-05	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-06	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-07	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-08	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-09	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-10	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-12	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-13	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-14	HDPE bottle: 20 mL	6/6/2023
CAP	2024 FTC-15	HDPE bottle: 20 mL	6/6/2023
CAP	2024 OFD-01	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-02	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-03	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-04	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-05	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-06	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-07	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-08	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-10	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-11	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-12	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-13	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-14	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-15	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-16	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-17	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-18	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-19	HDPE vial: 2 mL	6/6/2023
CAP	2024 OFD-20	HDPE vial: 2 mL	6/6/2023
CAP	2024 T-01	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-03	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-04	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-05	HDPE bottle: 50 mL	6/6/2023
CAP	2024 T-08	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-09	HDPE bottle: 20 mL	6/6/2023

CAP	2024 T-10	HDPE bottle: 50 mL	6/6/2023
CAP	2024 T-11	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-13	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-14	HDPE bottle: 20 mL	6/6/2023
CAP	2024 T-15	HDPE bottle: 50 mL	6/6/2023
CAP	2024 THCB-01	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-02	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-03	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-04	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-05	Glass vial: 10 mL	6/6/2023
CAP	2024 THCB-06	Glass vial: 10 mL	6/6/2023
CAP	2024 UDS-01	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-02	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-03	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-04	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-05	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-06	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-07	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-08	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-09	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-10	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-11	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-12	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-13	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-14	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UDS-15	HDPE bottle: 10 mL	6/6/2023
CAP	2024 UT-01	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-02	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-03	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-04	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-05	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-06	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-07	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-08	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-09	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-10	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-11	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-12	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-13	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-14	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UT-15	HDPE bottle: 50 mL	6/6/2023
CAP	2024 UTCO-01	HDPE bottle: 40 mL	6/6/2023
CAP	2024 ZE-01	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-02	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-03	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-04	Glass vial: 5 mL	6/6/2023

CAP	2024 ZE-05	Glass vial: 5 mL	6/6/2023
CAP	2024 ZE-06	Glass vial: 5 mL	6/6/2023
CAP	2024-OFD-09	HDPE vial: 2 mL	6/6/2023
Cayman Chemical Company	(-)-11-hydroxy- Δ 8-THC-d3 (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(-)-11-hydroxy- Δ 8-THC-d3 (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(\pm)-cis- Δ 8-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	(\pm)-cis- Δ 8-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	(\pm)-cis- Δ 8-THC (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	(\pm)-cis- Δ 8-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	(\pm)-Methadone-d9 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	(\pm)-Methadone-d9 (CRM) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	(6aR,9R)-11-hydroxy- Δ 10-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(6aR,9R)-11-hydroxy- Δ 10-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(6aR,9R)-11-hydroxy- Δ 10-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(6aR,9R)-11-hydroxy- Δ 10-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-anti- Δ 6a,7-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-anti- Δ 6a,7-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-anti- Δ 6a,7-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-anti- Δ 6a,7-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-syn- Δ 6a,7-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-syn- Δ 6a,7-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-syn- Δ 6a,7-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	(9,10a)-syn- Δ 6a,7-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	3,4-Methylenedioxy- α -Cyclohexylaminopropiophenone (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	3,4-Methylenedioxy- α -propylaminobutiophenone (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	3'-hydroxy- Δ 9-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023

Cayman Chemical Company	3'-hydroxy- Δ^9 -THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	3'-hydroxy- Δ^9 -THC (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	3'-hydroxy- Δ^9 -THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	5-fluoro AEB (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	5-fluoro AEB (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	5-methoxy DMT-d4 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	5-methoxy DMT-d4 (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	6 α -Oxymorphol (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	6 α -Oxymorphol (CRM) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	6 β -Naloxol (CRM) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	6 β -Naloxol (CRM) 1mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	6 β -Naloxol-d5 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	6 β -Naloxol-d5 (CRM) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	8 α ,11-dihydroxy- Δ^9 -THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α ,11-dihydroxy- Δ^9 -THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α ,11-dihydroxy- Δ^9 -THC (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α ,11-dihydroxy- Δ^9 -THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α -hydroxy-exo-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α -hydroxy-exo-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α -hydroxy-exo-THC (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α -hydroxy-exo-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α -hydroxy- Δ^9 -THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α -hydroxy- Δ^9 -THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α -hydroxy- Δ^9 -THC (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 α -hydroxy- Δ^9 -THC (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β ,11-dihydroxy- Δ^9 -THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β ,11-dihydroxy- Δ^9 -THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β ,11-dihydroxy- Δ^9 -THC (exempt preparation) 100 μ g/ml in	Glass ampule: 1.0 mL	2/21/2023

	Acetonitrile		
Cayman Chemical Company	8 β ,11-dihydroxy- Δ 9-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β -hydroxy-exo-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β -hydroxy-exo-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β -hydroxy-exo-THC (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β -hydroxy-exo-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β -hydroxy- Δ 9-THC (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β -hydroxy- Δ 9-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β -hydroxy- Δ 9-THC (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	8 β -hydroxy- Δ 9-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	9(R)-11-hydroxy- Δ 6a,10a-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	9(R)-11-hydroxy- Δ 6a,10a-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	9(S)-11-hydroxy- Δ 6a,10a-THC (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	9(S)-11-hydroxy- Δ 6a,10a-THC (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	BDB (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	BDB (hydrochloride) (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Benzodiazepine Mixture 1 (CRM) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Benzodiazepine Mixture 1 (CRM) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Cannabidiol Conversion GC-MS Mixture 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Cannabidiol Conversion GC-MS Mixture 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Cannabidiol Conversion GC-MS Mixture 500 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Cannabidiol Conversion GC-MS Mixture 500 μ g/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Chlordiazepoxide (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide (CRM) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide-D5 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Chlordiazepoxide-D5 (CRM) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	EMB-FUBINACA (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023

Cayman Chemical Company	EMB-FUBINACA (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etodesnitazene (citrate) (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etodesnitazene (citrate) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etodesnitazene (citrate) (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Etodesnitazene (citrate) (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Flunitazene (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Flunitazene (hydrochloride) (exempt preparation) 1 mg/mL in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Ibogaine (hydrochloride) (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ibogaine (hydrochloride) (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	iso-LSD (exempt preparation) 25 µg/mL in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	iso-LSD (exempt preparation) 50 µg/mL in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	iso-LSD (exempt preparation) 50 µg/mL in Acetonitrile	Glass ampule: 0.5 mL	4/6/2023
Cayman Chemical Company	Ketamine-d4 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Ketamine-d4 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	LSB (exempt preparation) 25 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	LSB (exempt preparation) 50 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Mescaline-d4 (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Methohexital (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Methohexital (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Metonitazene (citrate) (exempt preparation) 1 mg/ml in Methyl Acetate	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Metonitazene (citrate) (exempt preparation) 100 µg/ml in Methyl Acetate	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Metonitazene (exempt preparation) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Metonitazene (exempt preparation) 100 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Norhydrocodone (hydrochloride) (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Norhydrocodone (hydrochloride) (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Noroxymorphone (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Noroxymorphone (exempt preparation) 1 mg/ml in Methanol:DMSO (80:20)	Glass ampule: 1.0 mL	2/21/2023

Cayman Chemical Company	Noroxymorphone (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Noroxymorphone (exempt preparation) 100 µg/ml in Methanol:DMSO (80:20)	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	ortho-methoxy Butyryl fentanyl (hydrochloride) (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 1 mg/mL ea in 99:1 Acetonitrile:DIPEA (w. 0.05% Ascorbic acid)	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Acids Mixture 7 (CRM) 500 µg/mL ea in 99:1 Acetonitrile:DIPEA (w. 0.05% Ascorbic acid)	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 9 (CRM) 1 mg/ml ea in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 9 (CRM) 1 mg/ml ea in Methanol	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 9 (CRM) 500 µg/mL ea in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Phytocannabinoid Neutrals Mixture 9 (CRM) 500 µg/mL ea in Methanol	Glass ampule: 1.0 mL	4/6/2023
Cayman Chemical Company	Pregabalin (CRM) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Retigabine (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (hydrochloride) (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Retigabine (hydrochloride) (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	8/1/2023
Cayman Chemical Company	Sufentanil (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Sufentanil (CRM) 100 µg/ml in Methanol	Glass ampule: 0.5 mL	2/21/2023
Cayman Chemical Company	Sufentanil-d5 (CRM) 100 µg/ml in Methanol	Glass ampule: 0.5 mL	2/21/2023
Cayman Chemical Company	Sufentanil-d5 (CRM) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Tetrahydrocannabivarin Acetate (exempt preparation)	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Tetrahydrocannabivarin Acetate (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Tetrahydrocannabivarin Acetate (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Tetrahydrocannabivarin Acetate (exempt preparation) 100 µg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	THC Isomer GC Mixture 100 µg/ml ea in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	THC Isomer GC Mixture 100 µg/ml ea in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	THC Isomer GC Mixture 250 µg/ml ea in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	THC Isomer GC Mixture 250 µg/ml	Glass ampule: 1.0 mL	6/8/2023

Company	ea in Methanol	mL	
Cayman Chemical Company	Δ^8 -Tetrahydrocannabivarin Acetate (exempt preparation) 1 mg/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Δ^8 -Tetrahydrocannabivarin Acetate (exempt preparation) 1 mg/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Δ^8 -Tetrahydrocannabivarin Acetate (exempt preparation) 100 μ g/ml in Acetonitrile	Glass ampule: 1.0 mL	2/21/2023
Cayman Chemical Company	Δ^8 -Tetrahydrocannabivarin Acetate (exempt preparation) 100 μ g/ml in Methanol	Glass ampule: 1.0 mL	2/21/2023
Cerilliant Corporation	(\pm)-Amphetamine-13C6 HCl	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	(\pm)-Methamphetamine-13C6 HCl	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	Brorphine-D4 HCl 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	9/6/2023
Cerilliant Corporation	Bufotenine HCl 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	9/29/2023
Cerilliant Corporation	Bufotenine-D4 HCl 0.1 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	9/29/2023
Cerilliant Corporation	Butonitazene HCl 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Cannabidiol Mixture – 17 Components 0.25 mg/mL (each analyte) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Delta9-Tetrahydrocannibibutol (delta9-THCB) 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	7/6/2023
Cerilliant Corporation	Dronabinol Reference Standard (1.0 mg/mL)	Glass ampule: 1 mL	6/20/2023
Cerilliant Corporation	Etodesnitazene HCl 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Etodesnitazene-D4 HCl 0.1 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	7/6/2023
Cerilliant Corporation	Etonitazene HCl	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	Etonitazene-13C6 HCl	Amber ampule: 1 mL	3/1/2023
Cerilliant Corporation	Mescaline-D3 HCl 0.1 mg/ml (free base) in 1 ml solvent	Amber ampule: 1 mL	10/21/2022
Cerilliant Corporation	Methylphenidate HCl Erythro isomer (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Metonitazene HCl 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Nordesomorphine-D3 (as free base) in 0.1 mL Solvent	Amber ampule: 1 mL	7/6/2023
Cerilliant Corporation	N-Pyrrolidino Etonitazene HCl 1.0 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Retigabine 1.0 mg/mL in 1 mL Solvent	Amber ampule: 1 mL	9/6/2023
Cerilliant Corporation	Tapentadol-D3-beta-D-glucoronide 0.1 mg/mL (as free base) in 1 mL Solvent	Amber ampule: 1 mL	5/5/2023
Cerilliant Corporation	Testosterone Quality Control 1	Polypropylene bottle: 0.25 mL	9/7/2023

Cerilliant Corporation	Testosterone Quality Control 2	Polypropylene bottle: 0.25 mL	9/7/2023
Cerilliant Corporation	Testosterone Standard	Polypropylene bottle: 0.25 mL	9/7/2023
Cerilliant Corporation	THC-O-Acetate (1.0 mg/mL)	Glass ampule: 1.0 mL	1/10/2023
CFSAA - RTI International	12198-76-7	Glass vial: 7mL	6/6/2023
Cliniqa Corporation	Sentinel TDM Control Level 1, Part: 43850	Vial: 5 ml	3/24/2023
Cliniqa Corporation	TDM Control Level 2, Part: 43851	Vial: 5 ml	3/24/2023
Cliniqa Corporation	TDM Control Level 3, Part: 43852	Vial: 5 ml	3/24/2023
College of American Pathologists (CAP)	2024 NOB-01	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-02	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-03	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-04	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-05	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 NOB-06	Amber Vial: 15 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-01	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-02	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-03	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-04	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-05	HDPE Bottle: 10 mL	7/21/2023
College of American Pathologists (CAP)	2024 SCDD-06	HDPE Bottle: 10 mL	7/21/2023
CPI International	Z-116470-01 Z-116470-01 1, 2000 mg/L, 1 mL	Amber ampule: 1 mL	8/23/2023
LGC	(LGC) Chemistry	Amber vial: 5 mL	1/17/2023
LGC - Dr. Ehrenstorfer	Custom Pharmaceutical Mixture 12300 8:100 ug/mL in Acetonitrile	5 amber ampule x 1 mL	1/19/2023
LGC - Dr. Ehrenstorfer	DRE-BE1214-PS1 Custom Drug Standard, Various Concentrations (ISO17034)	Amber ampule: 1 mL	8/23/2023
LGC - Dr. Ehrenstorfer	DRE-BE1214-PS2 Custom Drug Standard, Various Concentrations (ISO17034)	Amber ampule: 1 mL	8/23/2023
LGC - Dr. Ehrenstorfer	GB 31658.14-2021 Trenbolones Mixture 48 100 µg/mL in Methanol	Amber ampule: 1 mL	5/16/2023
LGC - Dr. Ehrenstorfer	Tetrahydrocannabinol (THCP)100 ug/mL in Acetonitrile	Amber ampule: 1 mL	2/16/2023
LGC Clinical Diagnostics, Inc.	0.1 µg/mL Androstenedione (ASD) Stock B	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	0.5 µg/mL Didydrotestosterone (DHT) Stock B	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	100 µg/mL Androstenedione Stock A	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	100 µg/mL Didydrotestosterone (DHT) Stock A	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical	100 ng/mL Testosterone (TSTO)	Plastic tube: 15-50	4/17/2023

Diagnostics, Inc.	Stock B	mL	
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 1	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 2	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 3	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 4	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro Bulk Level 5	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro WrkBlk Level 1	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS Steroids 1003ro WrkBlk Level 5	Bottles or carboys: 500 - 5000 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 1	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 2	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 3	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 4	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro – Bulk Level 5	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	LCMS TDM1 ro WrkBlk - Level 1	Bottles or carboys: 500 - 5000 mL	5/3/2023
LGC Clinical Diagnostics, Inc.	TSTO Stock A 100,000 ng/mL	Plastic tube: 15-50 mL	4/17/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 5	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 1	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 2	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 3	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re Bulk - Level 4	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re WrkBlk – Level 1	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 504re WrkBlk – Level 5	Plastic/Nalgene bottles or carboys: 125 - 8000 mL	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE Fertility 2 Test Set 504re	5 Dropper bottles: 3 mL each	9/19/2023
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS Steroids Test Set	Kit: 5 bottles, 5 mL each	4/17/2023
LGC Clinical Diagnostics, Inc.	VALIDATE LCMS TDM1 Test Set	Kit: 5 bottles, 5 mL each	5/3/2023
LGC GmbH	Lacosamide 1.0 mg/ml in acetonitrile	Glass vial: 1 mL	5/2/2023
LGC GmbH	LGCAMP0004.20-34	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0004.82-34	Glass ampule: 1 mL	8/9/2023

LGC GmbH	LGCAMP0037.16-34	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0037.21-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0037.84-34	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0120.10-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0120.10-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0528.80-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0733.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0733.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0741.86-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0741.87-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0741.87-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0964.89-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0964.89-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP0991.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.00-05	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.01-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1088.03-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.30-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.32-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.33-29	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.42-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.55-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.59-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.62-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1275.65-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1343.34-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1360.01-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1361.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1366.21-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1371.80-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1387.03-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1387.04-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1387.08-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1396.09-12	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1396.14-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1396.17-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1396.17-12	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1397.13-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1625.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1625.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1700.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1700.00-02	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1721.00-01	Glass ampule: 1 mL	8/9/2023
LGC GmbH	LGCAMP1721.00-02	Glass ampule: 1 mL	8/9/2023

LGC GmbH	LGCAMP3560.00-11	Glass ampule: 1 mL	8/9/2023
LGC GmbH	Morphine 6-beta-D-Glucuronide 1.0 mg/ml in Water	Glass vial: 1 mL	5/3/2023
LGC GmbH	Norfentanyl-D5 Oxalate 1.0 mg/ml in methanol	Glass vial: 1 mL	5/2/2023
Lin-Zhi International	Amphetamine 500 DAU Calibrator (Urine), Methamphetamine, Cutoff Calibrator, Ref #0103	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Calibrator (Urine), Methamphetamine, High Calibrator, Ref #0105	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Calibrator (Urine), Methamphetamine, Intermediate Calibrator, Ref #0104	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Calibrator (Urine), Methamphetamine, Low Calibrator, Ref #0102	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Control (Urine), Methamphetamine, Level 1 Control, Ref #0107	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine 500 DAU Control (Urine), Methamphetamine, Level 2 Control, Ref #0108	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Calibrator (Urine), Methamphetamine, Cutoff Calibrator, Ref #0043	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Calibrator (Urine), Methamphetamine, High Calibrator, Ref #0045	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Calibrator (Urine), Methamphetamine, Intermediate Calibrator, Ref #0044	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Calibrator (Urine), Methamphetamine, Low Calibrator, Ref #0042	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Control (Urine), Methamphetamine, Level 1 Control, Ref #0047	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Amphetamine DAU Control (Urine), Methamphetamine, Level 2 Control, Ref #0048	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Calibrator, Benzoylcegonine, Cutoff Calibrator, Ref #0343	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Calibrator, Benzoylcegonine, Low Calibrator, Ref #0342	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Control, Benzoylcegonine, High Calibrator, Ref #0345	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Control, Benzoylcegonine, Intermediate Calibrator, Ref #0344	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Control, Benzoylcegonine, Level 1 Control, Ref #0347	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite 150 DAU Control, Benzoylcegonine, Level 2 Control, Ref #0348	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylcegonine, Cutoff Calibrator,	Dropper bottle: 5 mL	7/31/2023

	Ref #0033		
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylcegonine, High Calibrator, Ref #0035	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylcegonine, High Calibrator, Ref #0035		7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylcegonine, Intermediate Calibrator, Ref #0034	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylcegonine, Level 1 Control, Ref #0037	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylcegonine, Level 2 Control, Ref #0038	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	Cocaine Metabolite DAU Control, Benzoylcegonine, Low Calibrator, Ref #0032	Dropper bottle: 5 mL	7/31/2023
Lin-Zhi International	LZI Hydrocodone 100 Calibrator (Urine), Hydrocodone, Cutoff Calibrator, Ref #0383	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Calibrator (Urine), Hydrocodone, High Calibrator, Ref #0385	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Calibrator (Urine), Hydrocodone, Intermediate Calibrator, Ref #0384	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Calibrator (Urine), Hydrocodone, Low Calibrator, Ref #0382	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Control (Urine), Hydrocodone, Level 1 Control, Ref #0387	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 100 Control (Urine), Hydrocodone, Level 2 Control, Ref #0388	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Calibrator (Urine), Hydrocodone, Cutoff Calibrator, Ref #0393	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Calibrator (Urine), Hydrocodone, High Calibrator, Ref #0395	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Calibrator (Urine), Hydrocodone, Intermediate Calibrator, Ref #0394	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Calibrator (Urine), Hydrocodone, Low Calibrator, Ref #0392	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Control (Urine), Hydrocodone, Level 1 Control, Ref #0397	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Hydrocodone 300 Control (Urine), Hydrocodone, Level 2 Control, Ref #0398	Dropper bottle: 5 mL	2/26/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Cutoff Calibrator, Ref #0413	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, High Calibrator, Ref #0415	Dropper bottle: 5 mL	5/19/2023

Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Intermediate Calibrator, Ref #0414	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Level 1 Control, Ref #0417	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Level 2 Control, Ref #0418	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	LZI Tramadol Calibrator (Urine), Tramadol, Low Calibrator, Ref #0412	Dropper bottle: 5 mL	5/19/2023
Lin-Zhi International	Meprobamate DAU Calibrator, Meprobamate, Cutoff Calibrator Ref# 0373	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Calibrator, Meprobamate, High Calibrator Ref# 0375	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Calibrator, Meprobamate, Intermediate Calibrator Ref# 0374	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Calibrator, Meprobamate, Low Calibrator Ref# 0372	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Control, Meprobamate, Level 1 Control Ref# 0377	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Meprobamate DAU Control, Meprobamate, Level 2 Control Ref# 0378	Dropper bottle: 5 mL	7/5/2023
Lin-Zhi International	Methamphetamine DAU Calibrator (Urine), Methamphetamine, Cutoff Calibrator, Ref #0353	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Calibrator (Urine), Methamphetamine, High Calibrator, Ref #0355	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Calibrator (Urine), Methamphetamine, Intermediate Calibrator, Ref #0354	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Calibrator (Urine), Methamphetamine, Low Calibrator, Ref #0352	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Control (Urine), Methamphetamine, Level 1, Ref #0357 Control	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Methamphetamine DAU Control (Urine), Methamphetamine, Level 2 Control, Ref #0358	Dropper bottle: 5 mL	3/13/2023
Lin-Zhi International	Multi-Analyte DAU Calibrator Set C, Multi-Analyte, Low Calibrator, Ref #0852	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Calibrator Set D, Multi-Analyte, Low Calibrator, Ref #0872	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, Cutoff Calibrator, Ref #0853	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, High Calibrator, Ref #0855	Dropper bottle: 15 mL	9/7/2023

Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, Intermediate Calibrator, Ref #0854	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, Level 1 Control, Ref #0857	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set C, Multi-Analyte, Level 2 Control, Ref #0858	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, Cutoff Calibrator, Ref #0873	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, High Calibrator, Ref #0874	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, Intermediate Calibrator, Ref #0875	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, Level 1 Control, Ref #0877	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Multi-Analyte DAU Control Set D, Multi-Analyte, Level 2 Control, Ref #0878	Dropper bottle: 15 mL	9/7/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, Cutoff Calibrator, Ref #0333	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, High Calibrator, Ref #0335	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, Intermediate Calibrator, Ref #0334	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, Level 2 Control, Ref #0338	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Calibrator (Urine), Morphine, Low Calibrator, Ref #0332	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate 2000 DAU Control (Urine), Morphine, Level 1 Control, Ref #0337	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, Cutoff Calibrator, Ref #0023	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, High Calibrator, Ref #0025	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, Intermediate Calibrator, Ref #0024	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, Level 2 Control, Ref #0028	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Calibrator (Urine), Morphine, Low Calibrator, Ref #0022	Dropper bottle: 5 mL	4/19/2023
Lin-Zhi International	Opiate DAU Control (Urine), Morphine, Level 1 Control, Ref #0027	Dropper bottle: 5 mL	4/19/2023
Lipomed Inc.	Barbital-D5 (0.1 mg/mL free/ 1 mL	Glass ampule: 1 mL	2/17/2023

	methanol)		
Lipomed Inc.	Barbital-D5 (1.0 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	2/17/2023
Lipomed Inc.	d/l-PMA-D3.HCl (0.1 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	2/17/2023
Lipomed Inc.	Acetylfentanyl-D5 (0.1 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	5/31/2023
Lipomed Inc.	cis-(±)-4,4'-Dimethylaminorex (1.0 mg/mL free/ 1 mL acetonitrile)	Glass ampule: 1 mL	5/31/2023
Lipomed Inc.	d,l-PMMA.HCl (1.0 mg/mL free/ 1 mL methanol)	Glass ampule: 1 mL	5/31/2023
Lipomed Inc.	d/l-PMA-D3.HCl 1 mg free base/1 mL methanol	Glass ampule: 1 mL	2/14/2023
Lipomed Inc.	d/l-PMA-D3.HCl 1.0 mg/mL in methanol	Glass ampule: 1 mL	2/14/2023
Lipomed Inc.	Methoxetamine.HCl MXE-1527-HC-ILM	Amber ampule: 1 mL	1/17/2023
Lipomed Inc.	Pentylone-D3.HCl (0.1 mg free base/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Pentylone-D3.HCl (1 mg free base/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Thiopental-D5 (0.1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Thiopental-D5 (0.1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
Lipomed Inc.	Thiopental-D5 (1 mg free acid/1 mL methanol)	Glass ampule: 1 mL	5/10/2023
o2si smart solutions	Custom Pharmaceutical Mixture 12300 8:100 ug/mL in Acetonitrile	5 Amber ampule x 1 mL	1/19/2023
o2si smart solutions	Trenbolone enanthate 100 µg/mL in Acetonitrile	Amber ampule: 1 mL	3/8/2023
Research Triangle Institute	000246A, 038717A, 047561A, 062429A, 085487A, 116308A, 116439A, 137850A, 164262A, 180967A, 181626A, 203310A, 261516A, 267691A, 287940A, 317392A, 361203A, 365134A, 443570A, 469699A, 494588A, 532849A, 567404A, 607851A, 612624A, 626842A, 648569A, 804697A, 819146A, 838615A, 905408A, 910925A, 916404A, 967362A, 973855A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000417A, 046432A, 105281A, 110199A, 110369A, 149972A, 197596A, 198762A, 224998A, 282195A, 328224A, 344152A, 385796A, 405920A, 410977A, 526033A, 556083A, 587411A, 621619A, 634826A, 666191A, 672011A, 675132A, 696210A, 698567A, 699892A, 710814A, 738473A, 849455A, 876297A, 897484A, 922377A, 945176A, 955280A, 972199A	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	000640B, 064567B, 086311B, 095720B, 102904B, 134619B, 147352B, 217703B, 222628B, 228176B, 228643B, 235125B, 253231B, 289961B, 332547B, 400521B, 476214B, 506386B, 510092B, 524681B, 552120B, 575410B, 620929B, 642031B, 685939B, 694154B, 695534B, 732818B, 779220B, 820323B, 854262B, 896441B, 928242B, 978980B, 999862B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000657A, 022289A, 040337A, 074371A, 143761A, 203789A, 286487A, 299016A, 305341A, 345376A, 360318A, 389381A, 442737A, 472512A, 486669A, 492052A, 525556A, 542021A, 588104A, 634446A, 659388A, 672245A, 676569A, 711602A, 714482A, 726349A, 737806A, 768110A, 841281A, 844289A, 898963A, 903923A, 922182A, 930116A, 989637A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000722B, 033907B, 072943B, 133352B, 161594B, 165846B, 219751B, 259603B, 344466B, 406383B, 409950B, 411507B, 454011B, 475594B, 504090B, 526972B, 536448B, 560901B, 599996B, 628112B, 642697B, 643338B, 695808B, 730571B, 756461B, 763558B, 783418B, 783619B, 799853B, 893821B, 942252B, 975808B, 977676B, 984020B, 997768B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	000782A, 030198A, 053115A, 058353A, 101583A, 172466A, 179849A, 204209A, 229613A, 275449A, 311070A, 330482A, 338897A, 390577A, 415523A, 433005A, 468999A, 483586A, 524233A, 654874A, 679052A, 790445A, 792559A, 801754A, 803394A, 810872A, 827419A, 845058A, 854950A, 855458A, 870153A, 884916A, 908921A, 914859A, 963105A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	001231B, 002959B, 040381B, 040869B, 044175B, 050297B, 143187B, 177250B, 235129B, 282315B, 296716B, 300335B, 346213B, 375554B, 390893B, 411974B, 427578B, 434174B, 447010B, 448275B, 456050B, 548493B, 620365B, 701457B, 718422B, 724972B, 757131B, 792051B, 808523B, 817437B, 836320B, 906233B, 909966B, 935567B, 951667B	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	001812A, 033286A, 073958A, 093621A, 127539A, 130602A, 140528A, 172757A, 241267A, 263864A, 277155A, 281352A, 306785A, 337162A, 364751A, 389135A, 395038A, 430939A, 473066A, 495071A, 524610A, 539842A, 556489A, 586851A, 597782A, 628021A, 630262A, 649211A, 651613A, 713961A, 770287A, 828153A, 919274A, 951653A, 967968A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	002219B, 028473B, 104541B, 118066B, 146472B, 261637B, 297755B, 311607B, 401280B, 409562B, 510408B, 516954B, 524966B, 532690B, 563471B, 569866B, 573730B, 580947B, 632296B, 652494B, 655970B, 657611B, 660633B, 669202B, 738766B, 776669B, 794560B, 827085B, 833638B, 871213B, 881384B, 892861B, 936378B, 942279B, 995053B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	002662A, 007667A, 093728A, 095918A, 117254A, 140907A, 161514A, 247302A, 265535A, 267989A, 272566A, 308305A, 416750A, 441301A, 450075A, 475447A, 487085A, 583354A, 624907A, 630094A, 676325A, 708166A, 724412A, 765422A, 776471A, 779698A, 792467A, 810477A, 813141A, 824838A, 887721A, 936618A, 942895A, 952395A, 969450A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	002724A, 039941A, 050348A, 166616A, 185878A, 274181A, 286141A, 330926A, 354320A, 398660A, 412819A, 439401A, 479297A, 494618A, 498442A, 511734A, 565677A, 567329A, 576118A, 591454A, 672057A, 716758A, 730500A, 763353A, 790762A, 793883A, 797344A, 821404A, 824840A, 866494A, 867293A, 914659A, 960234A, 991236A, 995385A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	002820A, 020574A, 042694A, 064202A, 064841A, 125352A, 128433A, 132951A, 152824A, 154434A, 162086A, 168850A, 230665A, 244051A, 252044A, 278779A, 390205A, 414488A, 541194A, 551092A, 577313A, 584456A, 631950A, 646172A, 654063A, 791554A, 806742A, 810955A, 819637A, 824243A, 864574A, 893580A, 898319A, 972673A, 989760A	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	003477B, 021213B, 029416B, 063108B, 144244B, 169073B, 180618B, 211309B, 217683B, 266851B, 348589B, 350255B, 353399B, 371112B, 376309B, 382825B, 419889B, 419941B, 447328B, 452317B, 454553B, 464638B, 485267B, 485338B, 568545B, 596227B, 680296B, 697805B, 718313B, 743501B, 750689B, 773284B, 792778B, 913766B, 979629B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	003533B, 008287B, 046129B, 062333B, 072902B, 142349B, 144210B, 199930B, 211591B, 255299B, 394249B, 431280B, 532096B, 550142B, 554981B, 568317B, 640398B, 670108B, 690446B, 690746B, 721075B, 743078B, 748841B, 751417B, 797568B, 800381B, 845004B, 857782B, 885953B, 886402B, 900208B, 960854B, 970759B, 978238B, 996520B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	003537A, 035951A, 037190A, 038387A, 039776A, 059983A, 069603A, 077093A, 083238A, 101544A, 119578A, 285911A, 295504A, 350428A, 367614A, 372349A, 469481A, 552922A, 637840A, 660314A, 671271A, 672841A, 685685A, 748490A, 748613A, 837114A, 851187A, 864356A, 895861A, 916314A, 932130A, 961531A, 962466A, 965512A, 978053A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	004017B, 047256B, 115117B, 123438B, 223997B, 309633B, 370113B, 370404B, 398995B, 418960B, 429554B, 440592B, 454156B, 457051B, 458193B, 473482B, 513890B, 519130B, 542631B, 599754B, 639791B, 640526B, 693949B, 764263B, 780451B, 836846B, 840191B, 862663B, 879067B, 912868B, 949662B, 960003B, 987096B, 992634B, 997910B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	004080A, 064445A, 064860A, 078157A, 086465A, 133184A, 238585A, 241161A, 259861A, 270524A, 297082A, 299915A, 304437A, 380111A, 399941A, 462482A, 472999A, 521582A, 523775A, 558935A, 625543A, 627620A, 632948A, 660795A, 690615A, 738840A, 813354A, 825681A, 840691A, 901425A, 929903A, 940140A, 941745A, 946452A, 963765A	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	004781B, 025474B, 038760B, 098179B, 125828B, 138228B, 148311B, 158078B, 165187B, 167536B, 182334B, 199685B, 234870B, 291032B, 325072B, 329115B, 329876B, 339681B, 382869B, 401131B, 499864B, 568274B, 591265B, 598594B, 659186B, 670316B, 672243B, 707932B, 805624B, 846570B, 861540B, 868009B, 880752B, 977720B, 989511B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	005380A, 048336A, 054472A, 057392A, 071465A, 123643A, 168031A, 171703A, 184957A, 282527A, 303544A, 315979A, 316853A, 371739A, 403332A, 444883A, 490012A, 577399A, 577826A, 590032A, 678521A, 698558A, 710898A, 712851A, 713785A, 723539A, 760191A, 762766A, 821400A, 822827A, 847850A, 868025A, 877441A, 941592A, 963497A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	005619A, 024286A, 081940A, 091389A, 097913A, 130169A, 132315A, 177009A, 207162A, 213851A, 285191A, 307078A, 345606A, 403017A, 434640A, 501275A, 505626A, 513554A, 533318A, 549914A, 560778A, 570218A, 604079A, 620161A, 665245A, 772995A, 774036A, 808413A, 822847A, 867131A, 891258A, 902480A, 922808A, 961979A, 987507A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	006175B, 016509B, 019458B, 038681B, 047341B, 056450B, 097358B, 139776B, 147256B, 161968B, 170052B, 195486B, 212265B, 230270B, 273293B, 286289B, 297218B, 299441B, 415909B, 450600B, 454562B, 460496B, 469380B, 530771B, 557686B, 686580B, 702280B, 712255B, 724140B, 741034B, 771583B, 771925B, 793739B, 917213B, 968133B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	007966B, 018847B, 039939B, 095471B, 110292B, 114457B, 117979B, 144378B, 166137B, 242577B, 305329B, 349124B, 360756B, 365311B, 381130B, 395898B, 398260B, 405988B, 441536B, 449833B, 504060B, 548047B, 551608B, 557746B, 576124B, 594215B, 685062B, 695376B, 753560B, 767337B, 791575B, 866664B, 919256B, 953956B, 995220B	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	008179A, 017244A, 022035A, 043259A, 087680A, 103943A, 112291A, 127353A, 148902A, 178634A, 191290A, 226124A, 232639A, 270484A, 322208A, 324846A, 333266A, 343277A, 358488A, 395491A, 438614A, 491369A, 603806A, 604332A, 658594A, 706787A, 732723A, 750032A, 759566A, 784518A, 802898A, 910056A, 950921A, 972418A, 983288A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	008797B, 046465B, 059616B, 089326B, 093978B, 109040B, 141559B, 180596B, 244991B, 263612B, 270675B, 302352B, 334134B, 371266B, 408182B, 408305B, 443111B, 449055B, 465722B, 510706B, 568715B, 584170B, 589510B, 608707B, 636905B, 684608B, 700792B, 737627B, 794697B, 848588B, 854999B, 896757B, 963923B, 983789B, 997260B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	009861B, 051162B, 058364B, 060854B, 123137B, 126667B, 132838B, 156989B, 186166B, 209541B, 250673B, 267485B, 314461B, 337760B, 343376B, 390470B, 428560B, 443914B, 491506B, 529061B, 550070B, 600713B, 622252B, 644048B, 695154B, 789900B, 801537B, 808435B, 824362B, 872377B, 948585B, 956411B, 961752B, 963664B, 964202B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	009883B, 051824B, 078676B, 090192B, 121828B, 154790B, 231033B, 233063B, 243180B, 243778B, 249200B, 359994B, 396108B, 421448B, 425017B, 425193B, 430826B, 437527B, 472636B, 518620B, 573677B, 605307B, 615343B, 626361B, 631285B, 636025B, 639460B, 643934B, 646465B, 657969B, 682934B, 704586B, 831358B, 842038B, 963148B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	010007B, 033368B, 087758B, 136192B, 147414B, 153840B, 163308B, 176753B, 214948B, 232416B, 232947B, 234002B, 286701B, 290030B, 293428B, 396644B, 439914B, 486543B, 492499B, 523984B, 525209B, 586055B, 648953B, 685051B, 744894B, 786823B, 851241B, 868422B, 874067B, 877471B, 882180B, 911786B, 912695B, 988352B, 991402B	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	010011A, 062707A, 070289A, 070717A, 109061A, 161951A, 188660A, 253088A, 327623A, 342276A, 356647A, 392578A, 419649A, 436058A, 464486A, 485447A, 493286A, 498406A, 519063A, 529162A, 584079A, 592184A, 623240A, 815074A, 865193A, 890151A, 891182A, 934337A, 949290A, 949318A, 969859A, 976279A, 984077A, 984415A, 986439A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	010720B, 013282B, 015647B, 020340B, 030233B, 033054B, 084492B, 093181B, 136618B, 164298B, 188781B, 314923B, 332299B, 368263B, 373819B, 378824B, 380084B, 400086B, 401845B, 452374B, 528505B, 544160B, 548596B, 561241B, 577381B, 617241B, 659314B, 670912B, 685547B, 697650B, 717991B, 769062B, 851743B, 913012B, 948495B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	011855A, 061914A, 090030A, 147287A, 167574A, 174960A, 177157A, 253652A, 288045A, 299737A, 316597A, 320301A, 350780A, 356261A, 423202A, 432295A, 463234A, 497804A, 502215A, 527885A, 538080A, 554262A, 613772A, 672051A, 729254A, 739101A, 747954A, 754984A, 760342A, 761636A, 773292A, 806048A, 836943A, 917261A, 920085A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	011937A, 038737A, 094007A, 116844A, 168976A, 246213A, 345383A, 383104A, 383846A, 404435A, 411152A, 437964A, 443425A, 446106A, 448093A, 455244A, 476240A, 545533A, 552719A, 566046A, 582488A, 583533A, 618999A, 642520A, 664781A, 711010A, 712781A, 777260A, 834993A, 841693A, 850483A, 920736A, 938450A, 948518A, 981740A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	012759B, 012825B, 018131B, 044154B, 053624B, 075131B, 100200B, 149331B, 162707B, 173497B, 269943B, 334022B, 354572B, 386910B, 428399B, 434442B, 447397B, 467759B, 497989B, 528885B, 545516B, 563483B, 580722B, 596493B, 641412B, 690544B, 718288B, 731848B, 822808B, 909338B, 926925B, 938056B, 963819B, 966472B, 981692B	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	012816B, 016170B, 107615B, 122802B, 138822B, 157523B, 175586B, 186169B, 204090B, 206012B, 273759B, 313186B, 371665B, 386116B, 424162B, 440817B, 492445B, 492820B, 520979B, 564507B, 584107B, 589096B, 600511B, 645955B, 678287B, 680823B, 686748B, 694248B, 702457B, 739833B, 752473B, 790724B, 874161B, 947644B, 960702B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	012859A, 145663A, 146392A, 179687A, 230490A, 247853A, 307804A, 309720A, 360899A, 362199A, 375191A, 387414A, 396640A, 466187A, 476218A, 541838A, 549097A, 611835A, 639325A, 678898A, 683979A, 704717A, 712437A, 726573A, 784124A, 793542A, 813496A, 842790A, 867812A, 876670A, 932455A, 960950A, 970348A, 986346A, 993424A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	014209B, 031933B, 070272B, 182847B, 184499B, 212785B, 266412B, 310094B, 314296B, 342287B, 361814B, 371125B, 373495B, 393894B, 403399B, 440241B, 454480B, 491354B, 513118B, 517092B, 581681B, 598607B, 613079B, 639608B, 703702B, 729756B, 732689B, 788018B, 860958B, 893845B, 927785B, 944083B, 979257B, 980490B, 995234B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	014674B, 057227B, 060756B, 064205B, 082056B, 096711B, 098407B, 114554B, 151073B, 158234B, 158725B, 196737B, 206504B, 301333B, 328739B, 385106B, 415009B, 420759B, 517869B, 610565B, 620877B, 647748B, 734028B, 744575B, 749927B, 827908B, 832214B, 844961B, 854662B, 905274B, 943381B, 965643B, 991851B, 994664B, 998946B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	014995A, 017220A, 029775A, 087446A, 097886A, 126962A, 131249A, 147610A, 165773A, 166737A, 243334A, 258232A, 274546A, 323474A, 441640A, 442374A, 443652A, 486536A, 503069A, 560764A, 566313A, 592810A, 634191A, 659626A, 675278A, 692764A, 716081A, 756996A, 784417A, 828079A, 855790A, 911399A, 961376A, 978531A, 999010A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	015432A, 352994A, 970578A	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	015465A, 032779A, 041776A, 114353A, 174857A, 184365A, 198652A, 233739A, 306831A, 318493A, 328308A, 394345A, 406090A, 411118A, 423500A, 463529A, 464434A, 469023A, 493354A, 494412A, 544082A, 585438A, 611985A, 645802A, 659244A, 675348A, 758547A, 821616A, 841520A, 855285A, 880084A, 940922A, 960835A, 973833A, 988575A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	015736A, 019917A, 052073A, 063684A, 151600A, 249158A, 271985A, 384638A, 426106A, 426542A, 452645A, 516622A, 566419A, 603470A, 605423A, 638083A, 676028A, 688781A, 692793A, 718297A, 718798A, 737422A, 746739A, 768437A, 790425A, 791557A, 793934A, 825170A, 839013A, 843634A, 849079A, 883641A, 891927A, 960198A, 992829A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	016024B, 060477B, 099717B, 118069B, 120296B, 162639B, 169399B, 176534B, 181117B, 197067B, 220629B, 260205B, 306832B, 324164B, 370133B, 450041B, 474431B, 477904B, 527732B, 530223B, 539796B, 557822B, 559084B, 572292B, 638902B, 639030B, 649194B, 768863B, 774261B, 793884B, 844353B, 894000B, 909856B, 961472B, 978803B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	016374B, 069517B, 070570B, 079954B, 181500B, 197270B, 214409B, 235559B, 251615B, 270798B, 336643B, 381124B, 456949B, 469073B, 498704B, 506912B, 514668B, 545858B, 562868B, 585122B, 607997B, 623803B, 629350B, 644282B, 655191B, 664785B, 722449B, 735871B, 799041B, 843312B, 888799B, 904792B, 931066B, 947323B, 986737B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	018495A, 057484A, 085837A, 089123A, 098492A, 144464A, 151961A, 208495A, 229063A, 238283A, 273040A, 277090A, 289578A, 312617A, 373194A, 393993A, 452673A, 460157A, 534452A, 540869A, 546002A, 576322A, 625385A, 662858A, 664640A, 668652A, 691666A, 704392A, 764116A, 841951A, 895811A, 908667A, 932222A, 943327A, 958950A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	019575A, 250677A, 395908A	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	019817A, 026218A, 079998A, 097599A, 110872A, 165952A, 239551A, 258299A, 285698A, 292780A, 324280A, 336063A, 362058A, 368903A, 371192A, 463040A, 482462A, 520872A, 548866A, 562594A, 565866A, 686812A, 687144A, 723844A, 738584A, 785676A, 813181A, 827572A, 836693A, 860522A, 869241A, 871365A, 913135A, 920572A, 999353A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	019908A, 401439A, 837744A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	021049A, 033588A, 116216A, 131399A, 143498A, 157046A, 188377A, 215168A, 220883A, 248828A, 274298A, 279697A, 327040A, 329475A, 360715A, 436855A, 487801A, 553145A, 625674A, 690536A, 695335A, 708257A, 716256A, 723210A, 809359A, 829793A, 853569A, 898234A, 904215A, 917219A, 935142A, 966271A, 968798A, 969639A, 978260A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	021402A, 544203A, 635042A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	021934A, 028331A, 109409A, 127313A, 193048A, 205716A, 240724A, 289621A, 294894A, 302624A, 345074A, 375783A, 403049A, 459993A, 495572A, 502574A, 515858A, 552845A, 558741A, 560155A, 569000A, 624634A, 708961A, 730263A, 748628A, 762280A, 797503A, 799380A, 800273A, 803004A, 832776A, 868604A, 877086A, 942786A, 966619A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	021959B, 029436B, 094674B, 133348B, 168401B, 188997B, 189180B, 203884B, 207329B, 245496B, 247798B, 248661B, 407490B, 432304B, 438231B, 440637B, 455079B, 485121B, 515137B, 524828B, 526928B, 536150B, 585993B, 662237B, 681456B, 703751B, 712689B, 723246B, 725890B, 756526B, 802232B, 823204B, 825434B, 851178B, 915734B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	022283A, 355985A, 817766A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	022632B, 056213B, 118898B, 134345B, 166427B, 237067B, 246765B, 294953B, 297704B, 313989B, 320524B, 346181B, 362679B, 377667B, 398675B, 475315B, 488866B, 501574B, 521134B, 617738B, 620393B, 688614B, 712800B, 747944B,	HDPE bottles: 35 mL	9/26/2023

	769673B, 780092B, 806683B, 820334B, 826800B, 852310B, 957960B, 958677B, 958802B, 986544B, 987461B		
Research Triangle Institute	022656A, 027084A, 050528A, 077706A, 083927A, 087642A, 097226A, 103785A, 172159A, 183903A, 196215A, 204300A, 284263A, 286297A, 293289A, 302396A, 310393A, 330544A, 369756A, 383972A, 389647A, 433732A, 467992A, 496829A, 520609A, 594032A, 668203A, 733566A, 736972A, 768229A, 772316A, 774243A, 934401A, 936723A, 952858A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	026401B, 060466B, 120714B, 144215B, 159322B, 175215B, 201158B, 202133B, 203701B, 227808B, 333870B, 337830B, 362388B, 410297B, 433007B, 464137B, 473040B, 482723B, 529035B, 541530B, 543479B, 550152B, 564393B, 608784B, 613852B, 700929B, 731136B, 842997B, 853497B, 884339B, 932834B, 960811B, 968414B, 979573B, 984064B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	028455B, 090918B, 100953B, 101817B, 134029B, 139010B, 139481B, 159723B, 284572B, 350636B, 355513B, 360937B, 412882B, 423222B, 500265B, 515802B, 521023B, 532433B, 541068B, 549707B, 551780B, 631238B, 647462B, 695852B, 708946B, 751293B, 815867B, 820213B, 863541B, 868109B, 880519B, 890121B, 901790B, 954771B, 990962B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	030607A, 032728A, 042288A, 069271A, 110779A, 135152A, 136158A, 165092A, 209863A, 221231A, 236519A, 258712A, 263629A, 319248A, 389490A, 395832A, 410831A, 450541A, 460348A, 499385A, 506664A, 585015A, 620691A, 646008A, 658043A, 666077A, 745915A, 824518A, 830796A, 869159A, 884280A, 938034A, 961801A, 970422A, 993067A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	032166B, 078568B, 086457B, 103415B, 107387B, 121092B, 122130B, 136050B, 144538B, 156050B, 159052B, 174050B, 221432B, 260776B, 265517B, 332958B, 411150B, 423364B, 448783B, 449197B, 479212B,	HDPE bottles: 35 mL	9/26/2023

	578349B, 583346B, 626596B, 685471B, 690968B, 692148B, 711972B, 787095B, 846726B, 871020B, 875105B, 941946B, 955201B, 958872B		
Research Triangle Institute	033199B, 036308B, 049594B, 051759B, 118013B, 128427B, 215915B, 234476B, 254521B, 272010B, 278267B, 290674B, 346334B, 401647B, 497641B, 508763B, 561622B, 599127B, 621025B, 655124B, 663996B, 674506B, 679123B, 692161B, 711485B, 751948B, 768302B, 797470B, 803713B, 817527B, 818773B, 841421B, 888140B, 970298B, 978960B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	033641A, 041621A, 044891A, 048572A, 095481A, 111903A, 143115A, 148369A, 196371A, 201731A, 205677A, 216369A, 240773A, 261111A, 293603A, 338722A, 380717A, 457081A, 505572A, 516009A, 577323A, 583216A, 603072A, 610584A, 626160A, 636949A, 695643A, 729840A, 804193A, 914367A, 916578A, 916626A, 947626A, 964483A, 982000A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	034015A, 102868A, 159325A, 166498A, 203016A, 349771A, 362558A, 364029A, 383016A, 396727A, 407841A, 425952A, 489321A, 521656A, 524789A, 529907A, 571867A, 578603A, 595905A, 599210A, 615726A, 620746A, 637749A, 643139A, 665048A, 668902A, 679640A, 694590A, 839128A, 853039A, 883367A, 911593A, 925352A, 980378A, 988356A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	034546B, 045495B, 046836B, 107402B, 137582B, 161536B, 162727B, 172565B, 174969B, 263442B, 342499B, 359591B, 377715B, 445886B, 478890B, 481634B, 482368B, 517692B, 518013B, 550657B, 551223B, 636401B, 646812B, 689972B, 712414B, 744504B, 758971B, 760698B, 778066B, 786947B, 812023B, 855361B, 856017B, 955893B, 980772B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	035193A, 069474A, 070849A, 141015A, 157493A, 172802A, 173994A, 190007A, 192626A, 201121A, 246529A, 257617A, 354935A, 363104A, 432009A, 444871A, 448277A, 467806A, 469047A, 500177A, 509540A,	HDPE bottles: 35 mL	9/26/2023

	560080A, 568091A, 615431A, 619533A, 641527A, 643780A, 672993A, 674047A, 717969A, 788376A, 802520A, 842622A, 863278A, 983044A		
Research Triangle Institute	036227A, 044466A, 069970A, 092297A, 122722A, 132946A, 135184A, 143727A, 158976A, 262114A, 326306A, 346430A, 390956A, 399781A, 410709A, 426434A, 432210A, 507278A, 558087A, 581630A, 613540A, 641753A, 678312A, 683397A, 759961A, 763128A, 774293A, 774334A, 821742A, 851030A, 857805A, 946005A, 971005A, 973938A, 979729A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	040085A, 058239A, 069904A, 073319A, 078516A, 110365A, 118454A, 145628A, 156680A, 163584A, 215339A, 234073A, 241229A, 249516A, 271992A, 286689A, 315452A, 329312A, 387343A, 462247A, 566798A, 575082A, 583901A, 655625A, 718961A, 742157A, 765145A, 766023A, 807522A, 846695A, 938652A, 940118A, 959165A, 968061A, 984738A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	045107A, 050714A, 084717A, 112162A, 149498A, 157212A, 210459A, 242004A, 243444A, 346909A, 386394A, 393507A, 412226A, 450142A, 453744A, 476802A, 488842A, 506377A, 537388A, 545618A, 618120A, 621802A, 659852A, 684509A, 720853A, 725716A, 793505A, 855467A, 858767A, 866173A, 867933A, 868344A, 908989A, 961006A, 980649A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	045660B, 063895B, 127347B, 142193B, 151029B, 159827B, 199070B, 249991B, 276208B, 281696B, 323982B, 328523B, 352374B, 353154B, 389419B, 448196B, 466083B, 495632B, 552001B, 665190B, 692073B, 708410B, 730759B, 749128B, 832609B, 861349B, 863426B, 867742B, 876941B, 885700B, 901719B, 917653B, 917862B, 926977B, 940176B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	047087B, 061038B, 070327B, 092956B, 099869B, 162385B, 170993B, 193876B, 282460B, 318397B, 321899B, 330327B, 370397B, 391915B, 428338B, 488520B, 499577B, 503810B, 605360B, 625325B, 667121B,	HDPE bottles: 35 mL	9/26/2023

	715861B, 737137B, 765542B, 822184B, 848057B, 853002B, 877854B, 917141B, 931594B, 939281B, 944156B, 974216B, 977999B, 982624		
Research Triangle Institute	047799A, 052404A, 058963A, 115702A, 127767A, 131006A, 161511A, 194873A, 231020A, 239594A, 249857A, 255997A, 256247A, 264455A, 297843A, 369415A, 388068A, 478955A, 510933A, 543269A, 587533A, 627007A, 642764A, 665541A, 670009A, 706051A, 708522A, 724977A, 761142A, 848400A, 853531A, 870922A, 893323A, 958475A, 975922A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	051617B, 137462B, 151005B, 210774B, 260336B, 264434B, 283539B, 294309B, 294982B, 315317B, 352731B, 354406B, 374073B, 429679B, 447705B, 458615B, 480203B, 528638B, 535984B, 545045B, 550410B, 551553B, 574889B, 579794B, 599975B, 625225B, 674160B, 716297B, 795671B, 805538B, 814576B, 867813B, 953526B, 979299B, 988921B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	053451A, 062360A, 082390A, 096938A, 115363A, 159420A, 167736A, 172567A, 198266A, 241239A, 241606A, 255321A, 271976A, 287584A, 373598A, 448747A, 471770A, 496453A, 509718A, 575552A, 593508A, 608779A, 624439A, 702362A, 708622A, 708739A, 742210A, 759787A, 772377A, 831105A, 839871A, 898536A, 914148A, 961260A, 962882A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	055009B, 068662B, 109890B, 138567B, 152636B, 183525B, 215435B, 253021B, 276264B, 301822B, 332249B, 386232B, 445096B, 448930B, 453688B, 564897B, 614692B, 667808B, 695175B, 697980B, 735927B, 740060B, 752083B, 752334B, 753608B, 769607B, 780331B, 790953B, 829690B, 839976B, 894771B, 940975B, 944763B, 953416B, 978962B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	072591A, 278838A, 375442A	HDPE bottles: 35 mL	9/26/2023

Research Triangle Institute	073424B, 089630B, 113738B, 147129B, 149203B, 155527B, 308999B, 375599B, 395923B, 404613B, 456664B, 472084B, 492144B, 519562B, 521431B, 563979B, 587346B, 587439B, 616084B, 624230B, 719212B, 737389B, 739310B, 778279B, 820447B, 821655B, 838299B, 844301B, 879781B, 916197B, 916473B, 945654B, 954362B, 978856B, 989396B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	079582B, 088534B, 161341B, 163202B, 235027B, 256254B, 275848B, 294978B, 350150B, 353710B, 406911B, 420311B, 466940B, 467734B, 470011B, 494151B, 524866B, 531590B, 557100B, 558670B, 573548B, 581454B, 647019B, 712923B, 715145B, 778497B, 786937B, 801216B, 834200B, 849461B, 855910B, 878609B, 928044B, 972777B, 998673B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	085947B, 101534B, 207242B, 272650B, 307277B, 311076B, 371879B, 372646B, 377677B, 381096B, 414752B, 415862B, 420675B, 438158B, 480490B, 485430B, 532593B, 544253B, 551403B, 569804B, 605657B, 721833B, 732959B, 737790B, 743561B, 788855B, 800192B, 814187B, 814879B, 849073B, 865563B, 912962B, 954561B, 983055B, 996044B	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	090131A, 097354A, 138264A, 178556A, 188122A, 224836A, 275233A, 359780A, 373515A, 385159A, 449871A, 479516A, 488681A, 512630A, 517906A, 551095A, 553247A, 564444A, 567738A, 601099A, 602445A, 627105A, 644668A, 664389A, 678968A, 694271A, 695756A, 740821A, 755475A, 802906A, 880903A, 889880A, 905783A, 908234A, 963707A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	102616A, 450013A, 946359A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	107729A, 313834A, 631923	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	12514A, 252003A, 576163A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	130762A, 154563A, 157257A, 159116A, 166529A, 177949A, 184449A, 251800A, 268475A, 281212A, 281322A, 296888A, 299371A, 333895A, 336620A, 390480A, 474434A, 495504A, 496123A, 510677A, 520200A, 569035A, 632096A, 651807A,	HDPE bottles: 35 mL	9/26/2023

	680550A, 683918A, 703451A, 755155A, 767449A, 857443A, 883387A, 930730A, 956868A, 966987A, 998960A		
Research Triangle Institute	227434A, 485738A, 635335A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	374245A, 533051A, 546156A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	608381A, 713777A, 916068A	HDPE bottles: 35 mL	9/26/2023
Research Triangle Institute	OF23-01	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-02	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-03	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-04	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-05	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-06	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-07	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-08	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-09	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-10	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-11	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-12	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-13	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-14	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	OF23-15	HDPE vials: 3 mL	2/21/2023
Research Triangle Institute	PM_2023	HDPE Bottle: 2,200 mL	3/20/2023
Restek Corporation	Tetrahydrocannabivarin Acid (THCVA) Standard	Glass ampule: 1.3 mL	2/23/2023
RTI	RTI Spike Urine 48117	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48118	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48119	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48120	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48121	HDPE vial: 35 mL	7/26/2023
RTI	RTI Spike Urine 48122	HDPE vial: 35 mL	7/26/2023
RTI International	2023 Occ 1 Sample 1	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 1 Sample 2	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 1 Sample 3	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 1 Sample 5	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 1	HDPE vial: 5 mL	3/3/2023

RTI International	2023 Occ 2 Sample 3	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 4	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 5	HDPE vial: 5 mL	3/3/2023
RTI International	2023 Occ 2 Sample 6	HDPE vial: 5 mL	3/3/2023
Siemens Healthcare Diagnostics Inc.	ADVIA Chemistry TDM CAL	Kit: 6 vials x 3 mL each	3/6/2023
Siemens Healthcare Diagnostics Inc.	Atellica CH TDM CAL	Kit: 6 vials x 3 mL each	3/6/2023

The Assistant Administrator has found that each of the compounds, mixtures, and preparations described in Chart II, below, is not consistent with the criteria stated in 21 U.S.C. 811(g)(3)(B) and in 21 CFR 1308.23. Accordingly, the Assistant Administrator has determined that the chemical preparations or mixtures generally described in Chart II, below, and specifically described in the application materials received by DEA, are not exempt from application of any part of the CSA or from application of any part of the CFR, with regard to the requested exemption pursuant to 21 CFR 1308.23, as of the date that was provided in the determination letters to the individual requesters.

Chart II

Supplier	Product Name	Form	Application Date
Absolute Standards, Inc.	Florida Total THC - PT HPLC in Hemp Oil, 10-1000 ug/g, in Hemp Oil:Acetone:Acetonitrile (5:4:1)	Glass ampoule: 1 mL (~1 g)	6/23/2023
Absolute Standards, Inc.	Tryptamine PT, Varied µg/g, in Mushroom Matrix	Glass ampoule: 1 g	2/10/2023
Cayman Chemical Company	Benzodiazepine Mixture 1 (CRM) 250 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Benzodiazepine Mixture 1 (CRM) 250 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Benzodiazepine Mixture 1 (CRM) 500 µg/ml in Acetonitrile	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	Benzodiazepine Mixture 1 (CRM) 500 µg/ml in Methanol	Glass ampule: 1.0 mL	6/8/2023
Cayman Chemical Company	iso-LSD (exempt preparation) 100 µg/mL in Acetonitrile	Glass ampule: 1.0 mL	4/6/2023
CPI International	Custom NM Cannabinoid Mixture 4-0442, 2500 ug/mL, 1 mL (ISO 17025)	Glass ampule: 1 mL	1/19/2023
LGC GmbH	LGCAMP0528.00-01	Glass Vial: 1 mL	8/9/2023
LGC GmbH	LGCAMP1346.00-11	Glass vial: 1 mL	8/9/2023
LGC GmbH	LGCAMP1346.06-11	Glass vial: 1 mL	8/9/2023

o2si smart solutions	Custom NM Cannabinoid Mixture 4-0442, 2500 ug/mL, 1 mL (ISO 17025)	Amber ampule: 1 mL	1/19/2023
o2si smart solutions	EPA Method 8270 Appendix IX Mix 1 with Phentermine, 17 components, 2000 µg/mL in Dichloromethane 1 mL DRE-GS09000443DI	5 Amber ampules, 1 mL each	8/30/2022

Opportunity for Comment

Pursuant to 21 CFR 1308.23(e), any interested person may submit written comments on or objections to any chemical preparation in this order that has been approved or denied as exempt. If any comments or objections raise significant issues regarding any finding of fact or conclusion of law upon which this order is based, the Assistant Administrator will immediately suspend the effectiveness of any applicable part of this order until he may reconsider the application in light of the comments and objections filed. Thereafter, the Assistant Administrator shall reinstate, revoke, or amend his original order as he determines appropriate.

Approved Exempt Chemical Preparations are Posted on the DEA's Web site

A list of all current exemptions, including those listed in this order, is available on the DEA's Web site at http://www.DEAdiversion.usdoj.gov/schedules/exempt/exempt_chemlist.pdf. The dates of applications of all current exemptions are posted for easy reference.

Thomas Prevoznik,
Assistant Administrator.

[FR Doc. 2024-10465 Filed: 5/14/2024 8:45 am; Publication Date: 5/15/2024]