



DEPARTMENT OF COMMERCE

International Trade Administration

[A-489-833, A-580-897, A-484-803, A-122-863, A-533-881, A-570-077, C-489-834, C-580-898, C-533-882, C-570-078]

Large Diameter Welded Pipe from Canada, the People's Republic of China, Greece, India, the Republic of Korea, and the Republic of Türkiye: Continuation of Antidumping Duty and Countervailing Duty Orders

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: As a result of the determinations by the U.S. Department of Commerce (Commerce) and the U.S. International Trade Commission (ITC) that revocation of the antidumping duty (AD) orders on large diameter welded pipe (LDWP) from Canada, the People's Republic of China (China), Greece, India, the Republic of Korea (Korea), and the Republic of Türkiye (Türkiye), and revocation of the countervailing duty (CVD) orders on LDWP from China, India, Korea, and Türkiye, would likely lead to the continuation or recurrence of dumping, countervailable subsidies, and material injury to an industry in the United States, Commerce is publishing a notice of continuation of these AD and CVD orders.

DATES: Applicable May 2, 2025.

FOR FURTHER INFORMATION CONTACT: Robert Galantucci, AD/CVD Operations, Office V, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue, NW, Washington, DC 20230; telephone: (202) 482-2923.

SUPPLEMENTARY INFORMATION:

Background

Between March 6, 2019, and May 2, 2019, Commerce published in the *Federal Register* the AD orders on LDWP from Canada, China, Greece, India, Korea, and Türkiye and CVD orders on LDWP from China, India, Korea, and Türkiye.¹ On February 1, 2024, the ITC instituted,² and Commerce initiated,³ the first sunset review of the *Orders*, pursuant to section 751(c) of the Tariff Act of 1930, as amended (the Act). As a result of its reviews, Commerce determined that revocation of the *Orders* would likely lead to the continuation or recurrence of dumping and countervailable subsidies, and therefore, notified the ITC of the magnitude of the margins of dumping and subsidy rates likely to prevail should the *Orders* be revoked.⁴

On May 2, 2025, the ITC published its determination, pursuant to section 751(c) of the Act, that revocation of the *Orders* would likely lead to continuation or recurrence of material injury to an industry in the United States within a reasonably foreseeable time.⁵

Scope of the *Orders*

¹ See *Large Diameter Welded Pipe from China: Countervailing Duty Order*, 84 FR 8075 (March 6, 2019); see also *Large Diameter Welded Pipe from India: Antidumping Duty Order*, 84 FR 8079 (March 6, 2019); *Large Diameter Welded Pipe from China: Antidumping Duty Order*, 84 FR 8083 (March 6, 2019); *Large Diameter Welded Pipe from India: Countervailing Duty Order*, 84 FR 8085 (March 6, 2019); *Large Diameter Welded Pipe from Republic of Korea: Amended Final Affirmative Antidumping Determination and Antidumping Duty Order*, 84 FR 18767 (May 2, 2019); *Large Diameter Welded Pipe from Greece: Amended Final Affirmative Antidumping Determination and Antidumping Duty Order*, 84 FR 18769 (May 2, 2019); *Large Diameter Welded Pipe from Republic of Turkey: Countervailing Duty Order*, 84 FR 18771 (May 2, 2019); *Large Diameter Welded Pipe from Republic of Korea: Countervailing Duty Order*, 84 FR 18773 (May 2, 2019); *Large Diameter Welded Pipe from Canada: Antidumping Duty Order*, 84 FR 18775 (May 2, 2019); and *Large Diameter Welded Pipe from Republic of Turkey: Amended Final Affirmative Antidumping Determination and Antidumping Duty Order*, 84 FR 18799 (May 2, 2019) (collectively, *Orders*).

² See *Institution of Five-Year Reviews*, 89 FR 6543 (February 1, 2024).

³ See *Initiation of Five-Year (Sunset) Reviews*, 89 FR 6499 (February 1, 2024).

⁴ See *Large Diameter Welded Pipe from the Republic of Korea: Final Results of the Expedited First Sunset Review of the Countervailing Duty Order*, 89 FR 44960 (May 22, 2024), and accompanying Issues and Decision Memorandum (IDM); see also *Large Diameter Welded Pipe from India: Final Results of the Expedited First Sunset Review of the Countervailing Duty Order*, 89 FR 44961 (May 22, 2024), and accompanying IDM; *Large Diameter Welded Pipe from the People's Republic of China: Final Results of the Expedited First Sunset Review of the Countervailing Duty Order*, 89 FR 48381 (June 6, 2024), and accompanying IDM; *Large Diameter Welded Pipe from the People's Republic of China, India, Canada, Greece, the Republic of Korea, and the Republic of Türkiye: Final Results of the Expedited First Sunset Reviews of the Antidumping Duty Orders*, 89 FR 48558 (June 7, 2024), and accompanying IDM; and *Large Diameter Welded Pipe from the Republic of Türkiye: Final Results of the Expedited First Sunset Review of the Countervailing Duty Order*, 89 FR 48561 (June 7, 2024), and accompanying IDM.

⁵ See *Large Diameter Welded Pipe from Canada, China, Greece, India, South Korea, and Turkey Determinations*, 90 FR 18867 (May 2, 2025).

The product covered by the *Orders* is LDWP from Canada, China, Greece, India, South Korea, and Turkey. For a complete description of the scopes of the *Orders*, see the appendix to this notice.

Continuation of the *Orders*

As a result of the determinations by Commerce and the ITC that revocation of the *Orders* would likely lead to continuation or recurrence of dumping, countervailable subsidies, and material injury to an industry in the United States, pursuant to section 751(d)(2) of the Act, Commerce hereby orders the continuation of the *Orders*. U.S. Customs and Border Protection will continue to collect AD and CVD cash deposits at the rates in effect at the time of entry for all imports of subject merchandise.

The effective date of the continuation of the *Orders* will be May 2, 2025.⁶ Pursuant to section 751(c)(2) of the Act and 19 CFR 351.218(c)(2), Commerce intends to initiate the next five-year reviews of the *Orders* not later than 30 days prior to fifth anniversary of the date of the last determination by the ITC.

Administrative Protective Order (APO)

This notice also serves as a final reminder to parties subject to an APO of their responsibility concerning the return or destruction of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3), which continues to govern business proprietary information in this segment of the proceeding. Timely written notification of the return or destruction of APO materials, or conversion to judicial protective order, is hereby requested. Failure to comply with the regulations and terms of an APO is a violation which is subject to sanction.

Notification to Interested Parties

⁶ *Id.*

These five-year (sunset) reviews and this notice are in accordance with sections 751(c) and 751(d)(2) of the Act and published in accordance with section 777(i) of the Act, and 19 CFR 351.218(f)(4).

Dated: May 8, 2025.

Christopher Abbott,
*Deputy Assistant Secretary
for Policy and Negotiations,
performing the non-exclusive functions and duties
of the Assistant Secretary for Enforcement and Compliance.*

Appendix

Scopes of the *Orders*

Canada AD

The merchandise covered by this order is welded carbon and alloy steel pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded pipe may be used to transport oil, gas, slurry, steam, or other fluids, liquids, or gases. It may also be used for structural purposes, including, but not limited to, piling. Specifically, not included is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe.

Large diameter welded pipe used to transport oil, gas, or natural gas liquids is normally produced to the American Petroleum Institute (API) specification 5L. Large diameter welded pipe may also be produced to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, grades and/or standards. Large diameter welded pipe can be produced to comparable foreign specifications, grades, and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All pipe meeting the physical description set forth above is covered by the scope of this order, whether or not produced according to a particular standard.

Subject merchandise also includes large diameter welded pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise from the scope of the order if performed in the country of manufacture of the in-scope large diameter welded pipe.

The large diameter welded pipe that is subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, 7305.19.5000, 7305.31.4000, 7305.31.6090, 7305.39.1000 and 7305.39.5000. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive.

China AD

The merchandise covered by this order is welded carbon and alloy steel pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded pipe may be used to transport oil, gas, slurry, steam, or other fluids, liquids, or gases. It may also be used for structural purposes, including, but not limited to, piling. Specifically, not included is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe.

Large diameter welded pipe used to transport oil, gas, or natural gas liquids is normally produced to the American Petroleum Institute (API) specification 5L. Large diameter welded pipe may also be produced to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, grades and/or standards. Large diameter welded pipe can be produced to comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All pipe

meeting the physical description set forth above is covered by the scope of this order, whether or not produced according to a particular standard.

Subject merchandise also includes large diameter welded pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise from the scope of the order if performed in the country of manufacture of the in-scope large diameter welded pipe.

The large diameter welded pipe that is subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, 7305.19.5000, 7305.31.4000, 7305.31.6090, 7305.39.1000 and 7305.39.5000. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive.

China CVD

The merchandise covered by this order is welded carbon and alloy steel structural pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded structural pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded structural pipe may be used for structural purposes, including, but not limited to, piling. Specifically, not included is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe.

Large diameter welded structural pipe may be produced to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, grades and/or standards. Large diameter welded structural pipe can be produced to comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All structural pipe meeting the physical description set forth above, including any dual- or multiple-certified/stenciled pipe with an ASTM (or comparable) welded structural pipe certification/stencil, is covered by the scope of this order. Subject merchandise also includes large diameter welded structural pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise from the scope of the order if performed in the country of manufacture of the in scope large diameter welded structural pipe.

Excluded from the scope of this order is line pipe which is suitable for transporting oil, gas, slurry, steam, or other fluids, liquids, or gases, and is normally produced to American Petroleum Institute (API) specification 5L or equivalent foreign specifications grades and/or standards or to proprietary specifications, grades and/or standards.

The large diameter welded structural pipe that is subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.31.4000, 7305.31.6090, 7305.39.1000 and 7305.39.5000. Merchandise currently classifiable under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, and 7305.19.5000 and that otherwise meets the above scope language is also covered. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive.

India AD and CVD

The merchandise covered by this order is welded carbon and alloy steel line pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded line pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded pipe may be used to transport oil, gas, slurry, steam, or other fluids, liquids or gases.

Large diameter welded line pipe is used to transport oil, gas, or natural gas liquids and is normally produced to the American Petroleum Institute (API) specification 5L. Large diameter welded line pipe can be produced to comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All line pipe meeting the physical description set forth above, including any dual- or multiple certified/stenciled pipe with an API (or comparable) welded line pipe certification/ stencil, is covered by the scope of this order.

Subject merchandise also includes large diameter welded line pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise from the scope of the order if performed in the country of manufacture of the in scope large diameter welded line pipe.

Excluded from the scope of this order is structural pipe, which is produced only to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, or comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards. Also excluded is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe. Also excluded is large diameter welded pipe in the following combinations of grades, outside diameters, and wall thicknesses:

- Grade X60, X65, or X70, 18 inches outside diameter, 0.688 inches or greater wall thickness;
- Grade X60, X65, or X70, 20 inches outside diameter, 0.688 inches or greater wall thickness;
- Grade X60, X65, X70, or X80, 22 inches outside diameter, 0.750 inches or greater wall thickness; and
- Grade X60, X65, or X70, 24 inches outside diameter, 0.750 inches or greater wall thickness.

The large diameter welded line pipe that is subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, and 7305.19.5000. Merchandise currently classifiable under subheadings 7305.31.4000, 7305.31.6090, 7305.39.1000 and 7305.39.5000 and that otherwise meets the above scope language is also covered. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive.

Greece AD

The merchandise covered by this order is welded carbon and alloy steel line pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded line pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded pipe may be used to transport oil, gas, slurry, steam, or other fluids, liquids, or gases.

Large diameter welded line pipe is used to transport oil, gas, or natural gas liquids and is normally produced to the American Petroleum Institute (API) specification 5L. Large diameter welded line pipe can be produced to comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All line pipe meeting the physical description set forth above, including any dual- or multiple certified/stenciled pipe with an API (or comparable) welded line pipe certification/ stencil, is covered by the scope of this order.

Subject merchandise also includes large diameter welded line pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise from the scope of the order if performed in the country of manufacture of the in scope large diameter welded line pipe.

Excluded from the scope of this order is structural pipe, which is produced only to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, or comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards. Also excluded is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe. Also excluded is large diameter welded pipe in the following combinations of grades, outside diameters, and wall thicknesses:

- Grade X60, X65 , or X70, 18 inches outside diameter, 0.688 inches or greater wall thickness;
- Grade X60, X65, or X70, 20 inches outside diameter, 0.688 inches or greater wall thickness;
- Grade X60, X65 , X70, or X80, 22 inches outside diameter, 0.750 inches or greater wall thickness; and Grade X60, X65, or X70, 24 inches outside diameter, 0.750 inches or greater wall thickness.

The large diameter welded line pipe that is subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, and 7305.19.5000. Merchandise currently classifiable under subheadings 7305.31.4000, 7305.31.6090, 7305.39.1000 and 7305.39.5000 and that otherwise meets the above scope language is also covered. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive.

Korea AD

The merchandise covered by this order is welded carbon and alloy steel pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded pipe may be used to transport oil, gas, slurry, steam, or other fluids, liquids, or

gases. It may also be used for structural purposes, including, but not limited to, piling. Specifically, not included is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe.

Large diameter welded pipe used to transport oil, gas, or natural gas liquids is normally produced to the American Petroleum Institute (API) specification 5L. Large diameter welded pipe may also be produced to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, grades and/or standards. Large diameter welded pipe can be produced to comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All pipe meeting the physical description set forth above is covered by the scope of this order, whether or not produced according to a particular standard.

Subject merchandise also includes large diameter welded pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise from the scope of the order if performed in the country of manufacture of the in-scope large diameter welded pipe.

Excluded from the scope are any products covered by the existing antidumping duty order on welded line pipe from the Republic of Korea. *See Welded Line Pipe from the Republic of Korea and the Republic of Turkey: Antidumping Duty Orders*, 80 FR 75056 (December 1, 2015).

The large diameter welded pipe that is subject to this investigation is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, 7305.19.5000, 7305.31.4000, 7305.31.6090, 7305.39.1000 and 7305.39.5000. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive

Korea CVD

The scope of the order covers welded carbon and alloy steel pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded pipe may be used to transport oil, gas, slurry, steam, or other fluids, liquids, or gases. It may also be used for structural purposes, including, but not limited to, piling. Specifically, not included is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe.

Large diameter welded pipe used to transport oil, gas, or natural gas liquids is normally produced to the American Petroleum Institute (API) specification 5L. Large diameter welded pipe may also be produced to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, grades and/or standards. Large diameter welded pipe can be produced to comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All pipes meeting the physical description set forth above are covered by the scope of this order, whether or not produced according to a particular standard.

Subject merchandise also includes large diameter welded pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise

from the scope of the order if performed in the country of manufacture of the in-scope large diameter welded pipe.

Excluded from the scope is large diameter welded pipe in the following combinations of grades, outside diameters, and wall thicknesses:

- Grade X60, X65, or X70, 18 inches outside diameter, 0.688 inches or greater wall thickness;
- Grade X60, X65, or X70, 20 inches outside diameter, 0.688 inches or greater wall thickness;
- Grade X60, X65, X70, or X80, 22 inches outside diameter, 0.750 inches or greater wall thickness; and
- Grade X60, X65, or X70, 24 inches outside diameter, 0.750 inches or greater wall thickness.

The large diameter welded pipe that is subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, 7305.19.5000, 7305.31.4000, 7305.31.6090, 7305.39.1000, and 7305.39.5000. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive.

Türkiye AD

The merchandise covered by this order is welded carbon and alloy steel pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded pipe may be used to transport oil, gas, slurry, steam, or other fluids, liquids, or gases. It may also be used for structural purposes, including, but not limited to, piling. Specifically, not included is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe.

Large diameter welded pipe used to transport oil, gas, or natural gas liquids is normally produced to the American Petroleum Institute (API) specification 5L. Large diameter welded pipe may also be produced to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, grades and/or standards. Large diameter welded pipe can be produced to comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All pipe meeting the physical description set forth above is covered by the scope of this order, whether or not produced according to a particular standard.

Subject merchandise also includes large diameter welded pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise from the scope of the order if performed in the country of manufacture of the in-scope large diameter welded pipe.

Excluded from the scope are any products covered by the existing antidumping duty order on welded line pipe from the Republic of Türkiye. *See Welded Line Pipe from the Republic of Korea and the Republic of Turkey: Antidumping Duty Orders*, 80 FR 75056 (December 1, 2015).

The large diameter welded pipe that is subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, 7305.19.5000, 7305.31.4000, 7305.31.6090, 7305.39.1000 and 7305.39.5000. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive.

Türkiye CVD

The merchandise covered by this order is welded carbon and alloy steel structural pipe (other than stainless steel pipe), more than 406.4 mm (16 inches) in nominal outside diameter (large diameter welded structural pipe), regardless of wall thickness, length, surface finish, grade, end finish, or stenciling. Large diameter welded structural pipe may be used for structural purposes, including, but not limited to, piling. Specifically, not included is large diameter welded pipe produced only to specifications of the American Water Works Association (AWWA) for water and sewage pipe.

Large diameter welded structural pipe may be produced to American Society for Testing and Materials (ASTM) standards A500, A252, or A53, or other relevant domestic specifications, grades and/or standards. Large diameter welded structural pipe can be produced to comparable foreign specifications, grades and/or standards or to proprietary specifications, grades and/or standards, or can be non-graded material. All structural pipe meeting the physical description set forth above, including any dual- or multiple-certified/stenciled pipe with an ASTM (or comparable) welded structural pipe certification/stencil, is covered by the scope of this order.

Subject merchandise also includes large diameter welded structural pipe that has been further processed in a third country, including but not limited to coating, painting, notching, beveling, cutting, punching, welding, or any other processing that would not otherwise remove the merchandise from the scope of the order if performed in the country of manufacture of the in scope large diameter welded structural pipe.

Excluded from the scope of this order is line pipe which is suitable for transporting oil, gas, slurry, steam, or other fluids, liquids, or gases, and is normally produced to American Petroleum Institute (API) specification 5L or equivalent foreign specifications grades and/or standards or to proprietary specifications, grades and/or standards. Also excluded from the scope are any products covered by the existing countervailing duty order on welded line pipe from the Republic of Turkey. *See Welded Line Pipe from the Republic of Turkey: Countervailing Duty Order*, 80 FR 75054 (December 1, 2015).

The large diameter welded structural pipe that is subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under subheadings 7305.31.4000, 7305.31.6090, 7305.39.1000 and 7305.39.5000. Merchandise currently classifiable under subheadings 7305.11.1030, 7305.11.1060, 7305.11.5000, 7305.12.1030, 7305.12.1060, 7305.12.5000, 7305.19.1030, 7305.19.1060, and 7305.19.5000 and that otherwise meets the above scope language is also covered. While the HTSUS subheadings are provided for convenience and customs purposes, the written description of the scope of this order is dispositive.

[FR Doc. 2025-08506 Filed: 5/13/2025 8:45 am; Publication Date: 5/14/2025]