



DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket Nos. FDA-2023-E-1420, FDA-2023-E-3219 and FDA-2023-E-3220]

Determination of Regulatory Review Period for Purposes of Patent Extension; [IMPELLA RP FLEX WITH SMART ASSIST]

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA or the Agency) has determined the regulatory review period for IMPELLA RP FLEX WITH SMART ASSIST and is publishing this notice of that determination as required by law. FDA has made the determination because of the submission of applications to the Director of the U.S. Patent and Trademark Office (USPTO), Department of Commerce, for the extension of a patent which claims that medical device.

DATES: Anyone with knowledge that any of the dates as published (see SUPPLEMENTARY INFORMATION) are incorrect may submit either electronic or written comments and ask for a redetermination by [INSERT DATE 60 DAYS AFTER DATE OF PUBLICATION IN THE *FEDERAL REGISTER*]. Furthermore, any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period by [INSERT DATE 180 DAYS AFTER DATE OF PUBLICATION IN THE *FEDERAL REGISTER*]. See “Petitions” in the SUPPLEMENTARY INFORMATION section for more information.

ADDRESSES: You may submit comments as follows. Please note that late, untimely filed comments will not be considered. The <https://www.regulations.gov> electronic filing system will accept comments until 11:59 p.m. Eastern Time at the end of [INSERT DATE 60 DAYS AFTER DATE OF PUBLICATION IN THE *FEDERAL REGISTER*]. Comments received by

mail/hand delivery/courier (for written/paper submissions) will be considered timely if they are received on or before that date.

### *Electronic Submissions*

Submit electronic comments in the following way:

- Federal eRulemaking Portal: <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else's Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.
- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see "Written/Paper Submissions" and "Instructions").

### *Written/Paper Submissions*

Submit written/paper submissions as follows:

- Mail/Hand delivery/Courier (for written/paper submissions): Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.
- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in "Instructions."

*Instructions:* All submissions received must include the Docket Nos. FDA-2023-1420, FDA-2023-E-3219 and FDA-2023-E-3220 for Determination of Regulatory Review Period for Purposes of Patent Extension; IMPELLA RP FLEX WITH SMART ASSIST. Received comments, those filed in a timely manner (see ADDRESSES), will be placed in the docket and, except for those submitted as “Confidential Submissions,” publicly viewable at <https://www.regulations.gov> or at the Dockets Management Staff between 9 a.m. and 4 p.m., Monday through Friday, 240-402-7500.

- Confidential Submissions--To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states “THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION.” The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as “confidential.” Any information marked as “confidential” will not be disclosed except in accordance with § 10.20 (21 CFR 10.20) and other applicable disclosure law. For more information about FDA’s posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <https://www.govinfo.gov/content/pkg/FR-2015-09-18/pdf/2015-23389.pdf>.

*Docket:* For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://www.regulations.gov> and insert the docket number, found in brackets in the heading of this document, into the “Search” box and follow the

prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852, 240-402-7500.

FOR FURTHER INFORMATION CONTACT: Jack Dan, Office of Regulatory Policy, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 51, Rm. 6250, Silver Spring, MD 20993, 240-402-6940.

SUPPLEMENTARY INFORMATION:

### I. Background

The Drug Price Competition and Patent Term Restoration Act of 1984 (Pub. L. 98-417) and the Generic Animal Drug and Patent Term Restoration Act (Pub. L. 100-670) generally provide that a patent may be extended for a period of up to 5 years so long as the patented item (human drug or biological product, animal drug product, medical device, food additive, or color additive) was subject to regulatory review by FDA before the item was marketed. Under these acts, a product's regulatory review period forms the basis for determining the amount of extension an applicant may receive.

A regulatory review period consists of two periods of time: a testing phase and an approval phase. For medical devices, the testing phase begins with a clinical investigation of the device and runs until the approval phase begins. The approval phase starts with the initial submission of an application to market the device and continues until permission to market the device is granted. Although only a portion of a regulatory review period may count toward the actual amount of extension that the Director of USPTO may award (half the testing phase must be subtracted as well as any time that may have occurred before the patent was issued), FDA's determination of the length of a regulatory review period for a medical device will include all of the testing phase and approval phase as specified in 35 U.S.C. 156(g)(3)(B).

FDA has approved for marketing the medical device IMPELLA RP FLEX WITH SMART ASSIST. IMPELLA RP FLEX WITH SMART ASSIST is indicated for providing temporary right ventricular support for up to 14 days in patients with a body surface area  $\geq 1.5$

m<sup>2</sup>, who develop acute right heart failure or decompensation following left ventricular assist device implantation, myocardial infarction, heart transplant, or open-heart surgery. Subsequent to this approval, the USPTO received patent term restoration applications for IMPELLA RP FLEX WITH SMART ASSIST (U.S. Patent Nos. 9,402,942; 9,750,861; and 11,007,350 ) from Abiomed Inc., and the USPTO requested FDA's assistance in determining this patent's eligibility for patent term restoration. In a letter dated January 30, 2024, FDA advised the USPTO that this medical device had undergone a regulatory review period and that the approval of IMPELLA RP FLEX WITH SMART ASSIST represented the first permitted commercial marketing or use of the product. Thereafter, the USPTO requested that FDA determine the product's regulatory review period.

## II. Determination of Regulatory Review Period

FDA has determined that the applicable regulatory review period for IMPELLA RP FLEX WITH SMART ASSIST is 212 days. Of this time, 0 days occurred during the testing phase of the regulatory review period, while 212 days occurred during the approval phase.

These periods of time were derived from the following dates:

- 1. The date an exemption under section 520(g) of the Federal Food, Drug, and Cosmetic Act (FD&C Act) (21 U.S.C. 360j(g)) involving this device became effective:* Not Applicable. The applicant claims that the length of the testing phase of the regulatory review period is 0 days.
- 2. The date an application was initially submitted with respect to the device under section 515 of the FD&C Act (21 U.S.C. 360e):* March 31, 2022. FDA has verified the applicant's claim that the premarket approval application (PMA) for IMPELLA RP FLEX WITH SMART ASSIST (PMA P170011/Supplement (S039) was initially submitted March 31, 2022.
- 3. The date the application was approved:* October 28, 2022. FDA has verified the applicant's claim that PMA P170011/S039 was approved on October 28, 2022.

This determination of the regulatory review period establishes the maximum potential length of a patent extension. However, the USPTO applies several statutory limitations in its calculations of the actual period for patent extension. In its applications for patent extension, this applicant seeks 212 days of patent term extension.

### III. Petitions

Anyone with knowledge that any of the dates as published are incorrect may submit either electronic or written comments and, under 21 CFR 60.24, ask for a redetermination (see DATES). Furthermore, as specified in § 60.30 (21 CFR 60.30), any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period. To meet its burden, the petition must comply with all the requirements of § 60.30, including but not limited to: must be timely (see DATES), must be filed in accordance with § 10.20, must contain sufficient facts to merit an FDA investigation, and must certify that a true and complete copy of the petition has been served upon the patent applicant. (See H. Rept. 857, part 1, 98th Cong., 2d sess., pp. 41-42, 1984.) Petitions should be in the format specified in 21 CFR 10.30.

Submit petitions electronically to <https://www.regulations.gov> at Docket Nos. FDA-2013-S-0610. Submit written petitions (two copies are required) to the Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

Dated: June 11, 2025.

Grace R. Graham

Deputy Commissioner for Policy, Legislation, and International Affairs.