



This document is scheduled to be published in the Federal Register on 04/24/2015 and available online at <http://federalregister.gov/a/2015-09566>, and on FDsys.gov

6450-01-P

DEPARTMENT OF ENERGY

10 CFR Parts 429 and 431

[Docket No. EERE-2013-BT-TP-0055]

RIN 1905-AD50

Energy Conservation Program: Test Procedure for Pumps; Correction

AGENCY: Office of Energy Efficiency and Renewable Energy, Department of Energy.

ACTION: Notice of proposed rulemaking and public meeting; correction.

SUMMARY: On April 1, 2015, the U.S. Department of Energy (DOE) published in the Federal Register a notice of proposed rulemaking and public meeting for Energy Conservation Program: Test Procedure for Pumps. This document corrects terms in four equations.

DATES: [INSERT DATE OF PUBLICATION IN THE FEDERAL REGISTER].

FOR FURTHER INFORMATION CONTACT: Ashley Armstrong, U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Building Technologies Office, EE-5B, 1000 Independence Avenue SW., Washington, DC 20585-0121. Telephone: (202) 586-6590. Email: ashley.armstrong@ee.doe.gov.

Corrections:

In the Federal Register published on April 1, 2015, in FR Doc. 2015-06945, make the following corrections:

1. On page 17604: Equation (6) is corrected by removing “13.46” and adding in its place “17.80”. The corrected equation reads as follows:

$$\eta_{pump,STD} = -0.85 * \ln(Q_{100\%})^2 - 0.38 * \ln(Ns) * \ln(Q_{100\%}) - 11.48 * \ln(Ns)^2 + 17.80 * \ln(Q_{100\%}) + 179.80 * \ln(Ns) - (C - 555.6)$$

Appendix A to Subpart Y of Part 431 - Uniform Test Method for the Measurement of Energy Consumption of Pumps. [Corrected]

2. On page 17645: The equation in section II.B.1.1.1 is corrected by removing “13.46” and adding in its place “17.80”. The corrected equation reads as follows:

$$\eta_{pump,STD} = -0.85 * \ln(Q_{100\%})^2 - 0.38 * \ln(Ns) * \ln(Q_{100\%}) - 11.48 * \ln(Ns)^2 + 17.80 * \ln(Q_{100\%}) + 179.80 * \ln(Ns) - (C - 555.6)$$

3. On page 17646: The equation in section III.D.1.2.1 is corrected by removing “MotorH” and adding in its place “MotorHP”. The corrected equation reads as follows:

$$L_{full,default} = \frac{MotorHP}{\left[\eta_{motor,full} / 100 \right]} - MotorHP$$

4. On page 17648: The equation in section V.D.1.2.1 is corrected by removing “MotorHPMotorH” and adding in its place “MotorHP”. The corrected equation reads as follows:

$$L_{full,default} = \frac{MotorHP}{\left[\eta_{motor,full} / 100 \right]} - MotorHP$$

Issued in Washington, DC, on April 20, 2015.

Kathleen B. Hogan
Deputy Assistant Secretary for Energy Efficiency
Energy Efficiency and Renewable Energy

[FR Doc. 2015-09566 Filed: 4/23/2015 08:45 am; Publication Date: 4/24/2015]